

BIRDLIST FOR FINLAND / NORWAY 1st - 12th June 2003

| SPECIES | <i>Scientific Name</i> | No of days out of 12 recorded | Highest daily count C.= Common LC = Locally Common H or h.= Heard only N/C.= No count | |
|---------|------------------------|----------------------------------|---|--------|
| 1 | Red-throated Diver | <i>Gavia stellata</i> | 3 | 10+ |
| 2 | Black-throated Diver | <i>Gavia arctica</i> | 4 | 4 |
| 3 | White-billed Diver | <i>Gavia adamsii</i> | 2 | 1 |
| 4 | Red-necked Grebe | <i>Podiceps grisegena</i> | 2 | 4 |
| 5 | Great Crested Grebe | <i>Podiceps cristatus</i> | 1 | 6 |
| 6 | Northern Fulmar | <i>Fulmarus glacialis</i> | 2 | LC |
| 7 | Northern Gannet | <i>Morus bassanus</i> | 2 | LC |
| 8 | Cormorant | <i>Phalacrocorax carbo</i> | 3 | LC |
| 9 | Shag | <i>Phalacrocorax aristotelis</i> | 3 | LC |
| h | Great Bittern | <i>Botaurus stellaris</i> | 1 | H Only |
| 10 | Whooper Swan | <i>Cygnus cygnus</i> | 8 | C |
| 11 | Taiga Bean Goose | <i>Anser fabalis</i> | 1 | 2 |
| 12 | Greylag Goose | <i>Anser anser</i> | 3 | 22 |
| 13 | Common Shelduck | <i>Tadorna tadorna</i> | 4 | LC |
| 14 | Eurasian Wigeon | <i>Anas penelope</i> | 10 | C |
| 15 | Common Teal | <i>Anas crecca</i> | 8 | C |
| 16 | Mallard | <i>Anas platyrhynchos</i> | 12 | C |
| 17 | Northern Pintail | <i>Anas acuta</i> | 7 | C |
| 18 | Garganey | <i>Anas querquedula</i> | 2 | 3 |
| 19 | Northern Shoveler | <i>Anas chrypeata</i> | 4 | LC |
| 20 | Tufted Duck | <i>Aythya fuligula</i> | 9 | C |
| 21 | Greater Scaup | <i>Aythya marila</i> | 1 | 1 |
| 22 | Common Eider | <i>Somateria mollissima</i> | 4 | LC |
| 23 | King Eider | <i>Somateria spectabilis</i> | 2 | 26 |
| 24 | Steller's Eider | <i>Polysticta stelleri</i> | 4 | 7 |
| 25 | Long-tailed Duck | <i>Clangula hyemalis</i> | 3 | LC |
| 26 | Common Scoter | <i>Melanitta nigra</i> | 5 | LC |
| 27 | Velvet Scoter | <i>Melanitta fusca</i> | 3 | 20+ |
| 28 | Common Goldeneye | <i>Bucephala clangula</i> | 7 | C |
| 29 | Smew | <i>Mergellus albellus</i> | 2 | 12+ |
| 30 | Red-breasted Merganser | <i>Mergus serrator</i> | 11 | C |
| 31 | Goosander | <i>Mergus merganser</i> | 10 | C |
| 32 | European Honey Buzzard | <i>Pernis apivorus</i> | 2 | 1 |
| 33 | White-tailed Eagle | <i>Haliaeetus albicilla</i> | 5 | 8 |
| 34 | Western Marsh Harrier | <i>Circus aeruginosus</i> | 3 | 4 |
| 35 | Hen Harrier | <i>Circus cyaneus</i> | 1 | 2 |
| 36 | Common Buzzard | <i>Buteo buteo</i> | 1 | 2 |
| 37 | Rough-legged Buzzard | <i>Buteo lagopus</i> | 6 | 8 |
| 38 | Osprey | <i>Pandion haliaetus</i> | 3 | 2 |
| 39 | Common Kestrel | <i>Falco tinnunculus</i> | 4 | LC |
| 40 | Eurasian Hobby | <i>Falco subbuteo</i> | 1 | 1 |
| 41 | Gyr Falcon | <i>Falco rusticolus</i> | 1 | 2 |
| 42 | Peregrine Falcon | <i>Falco peregrinus</i> | 2 | 1 |

| | | | | |
|----|--------------------------|---------------------------------|--------|------|
| 43 | Willow Grouse | <i>Lagopus lagopus</i> | 3 | 1 |
| 44 | Rock Ptarmigan | <i>Lagopus mutus</i> | 1 | 2 |
| 45 | Black Grouse | <i>Tetrao tetrix</i> | 1 | 14 |
| 46 | Eurasian Capercaillie | <i>Tetrao urogallus</i> | 1 | 1 |
| 47 | Hazel Grouse | <i>Bonasa bonasa</i> | 1 + 1h | 1 |
| 48 | Common Pheasant | <i>Phasianus colchicus</i> | 1 | 1 |
| 49 | Eurasian Coot | <i>Fulica atra</i> | 2 | N/C |
| 50 | Common Crane | <i>Grus grus</i> | 5 | 150+ |
| 51 | Eurasian Oystercatcher | <i>Haematopus ostralegus</i> | 7 | C |
| 52 | Grey Plover | <i>Pluvialis squatarola</i> | 1 | 2 |
| 53 | European Golden Plover | <i>Pluvialis apricaria</i> | 4 | LC |
| 54 | Common Ringed Plover | <i>Charadrius hiaticula</i> | 7 | C |
| 55 | Eurasian Dotterel | <i>Eudromias morinellus</i> | 2 | 4 |
| 56 | Northern Lapwing | <i>Vanellus vanellus</i> | 7 | C |
| 57 | Purple Sandpiper | <i>Calidris maritima</i> | 4 | 16+ |
| 58 | Eurasian Woodcock | <i>Scolopax rusticola</i> | 4 | LC |
| 59 | Common Snipe | <i>Gallinago gallinago</i> | 8 | C |
| 60 | Black-tailed Godwit | <i>Limosa limosa</i> | 2 | N/C |
| 61 | Bar-tailed Godwit | <i>Limosa lapponica</i> | 4 | 30+ |
| 62 | Whimbrel | <i>Numenius phaeopus</i> | 2 | 2 |
| 63 | Eurasian Curlew | <i>Numenius arquata</i> | 9 | C |
| 64 | Spotted Redshank | <i>Tringa erythropus</i> | 2 | 2 |
| 65 | Common Redshank | <i>Tringa tetanus</i> | 7 | C |
| 66 | Common Greenshank | <i>Tringa nebularia</i> | 5 | LC |
| 67 | Marsh Sandpiper | <i>Tringa stagnatilis</i> | 1 | 4 |
| 68 | Green Sandpiper | <i>Tringa ochropus</i> | 2 | 1 |
| 69 | Wood Sandpiper | <i>Tringa glareola</i> | 8 | C |
| 70 | Common Sandpiper | <i>Tringa hypoleucos</i> | 5 | LC |
| 71 | Ruddy Turnstone | <i>Arenaria interpres</i> | 3 | LC |
| 72 | Red Knot | <i>Calidris canutus</i> | 2 | 3 |
| 73 | Sanderling | <i>Calidris alba</i> | 3 | LC |
| 74 | Temminck's Stint | <i>Calidris temminckii</i> | 4 | 4+ |
| 75 | Dunlin | <i>Calidris alpina</i> | 4 | N/C |
| 76 | Ruff | <i>Philomachus pugnax</i> | 6 | 16+ |
| 77 | Red-necked Phalarope | <i>Phalaropus lobatus</i> | 4 | 12 |
| 78 | Great Skua | <i>Stercorarius skua</i> | 1 | 1 |
| 79 | Pomarine Skua | <i>Stercorarius pomarinus</i> | 2 | 30+ |
| 80 | Arctic Skua | <i>Stercorarius parasiticus</i> | 4 | N/C |
| 81 | Long-tailed Skua | <i>Stercorarius longicaudus</i> | 3 | 2 |
| 82 | Common Gull | <i>Larus canus</i> | 11 | C |
| 83 | Great Black-backed Gull | <i>Larus marinus</i> | 5 | N/C |
| 84 | Herring Gull | <i>Larus argentatus</i> | 11 | N/C |
| 85 | Lesser Black-backed Gull | <i>Larus fuscus</i> | 8 | C |
| | Heuglin's Gull | <i>Larus Heuglini</i> | 1 | 3 |
| 86 | Black-headed Gull | <i>Larus ridibundus</i> | 10 | C |
| 87 | Little Gull | <i>Larus minutus</i> | 6 | 25+ |
| 88 | Black-legged Kittiwake | <i>Rissa tridactyla</i> | 4 | N/C |
| 89 | Glaucous Gull | <i>Larus hyperboreus</i> | 2 | 4 |
| 90 | Common Tern | <i>Sterna hirundo</i> | 5 | L/C |
| 91 | Arctic Tern | <i>Sterna paradisaea</i> | 8 | C |
| 92 | Little Tern | <i>Sterna albifrons</i> | 3 | 4 |

| | | | | |
|-----|--------------------------|-------------------------------------|--------|----------------|
| 93 | Puffin | <i>Fratercula arctica</i> | 2 | N/C |
| 94 | Common Guillemot | <i>Uria aalge</i> | 3 | N/C |
| 95 | Brunnich's Guillemot | <i>Uria lomvia</i> | 2 | N/C |
| 96 | Razorbill | <i>Alca torda</i> | 2 | N/C |
| 97 | Black Guillemot | <i>Cepphus grille</i> | 4 | 25+ |
| 98 | Little Auk | <i>Alle alle</i> | 1 | 2 |
| 99 | Feral Pigeon | <i>Columbia domesticus</i> | 6 | C |
| 100 | Wood Pigeon | <i>Columba palumbus</i> | 6 | N/C |
| 101 | Eurasian Collared Dove | <i>Streptopelia decaocto</i> | 1 | 2 |
| 102 | Common Cuckoo | <i>Cuculus canorus</i> | 8 | C |
| 103 | Ural Owl | <i>Strix uralensis</i> | 1 | 1 ad + 1 young |
| 104 | Great Grey Owl | <i>Strix nebulosa</i> | 1 | 1 ad + 3 young |
| 105 | Northern Hawk Owl | <i>Surnia ulula</i> | 2 | 5 ad + 1 young |
| 106 | Eurasian Pygmy Owl | <i>Glaucidium passerinum</i> | 1 | 1 |
| 107 | Tengmalm's Owl | <i>Aegolius funereus</i> | 1 | 1 |
| 108 | Short-eared Owl | <i>Asio flammeus</i> | 3 | 2 |
| 109 | Common Swift | <i>Apus apus</i> | 6 | C |
| 110 | European Bee-eater | <i>Merops apiaster</i> | 1 | 1 |
| 111 | Eurasian Wryneck | <i>Jynx torquilla</i> | 1 | 2 |
| 112 | Great Spotted Woodpecker | <i>Dendrocopos major</i> | 4 | 2 |
| 113 | Three-toed Woodpecker | <i>Picoides tridactylus</i> | 1 | 2 |
| 114 | Black Woodpecker | <i>Dryocopus martius</i> | 1 | 2 ad + 1 young |
| h | Woodlark | <i>Lullula arborea</i> | 1 | H Only |
| h | Crested Lark | <i>Galerida cristata</i> | 1 | H Only |
| 115 | Eurasian Skylark | <i>Alauda arvensis</i> | 1 | N/C |
| 116 | Shore Lark | <i>Eremophila alpestris</i> | 1 | 2 |
| 117 | Sand Martin | <i>Riparia riparia</i> | 8 | C |
| 118 | Barn Swallow | <i>Hirundo rustica</i> | 10 | C |
| 119 | House Martin | <i>Delichon urbica</i> | 6 | N/C |
| 120 | Tree Pipit | <i>Anthus trivialis</i> | 3 | LC |
| 121 | Meadow Pipit | <i>Anthus pratensis</i> | 6 | N/C |
| 122 | Red-throated Pipit | <i>Anthus cervinus</i> | 2 | 6 |
| 123 | Rock Pipit | <i>Anthus petrosus [spinoletta]</i> | 2 | N/C |
| 124 | White Wagtail | <i>Motacilla alba</i> | 12 | C |
| 125 | Yellow Wagtail | <i>Motacilla flava [thunbergi]</i> | 6 | N/C |
| 126 | Citrine Wagtail | <i>Motacilla citreola</i> | 1 | 3 |
| 127 | Grey Wagtail | <i>Motacilla cinerea</i> | 1 | 1 |
| 128 | Bohemian Waxwing | <i>Bombycilla garrulous</i> | 6 | 6+ |
| 129 | White-throated Dipper | <i>Cinclus cinclus</i> | 1 | 1 |
| h | European Robin | <i>Erithacus rubecula</i> | 2 | H Only |
| 130 | Bluethroat | <i>Luscinia svecica</i> | 2 | 10+ |
| 131 | Red-flanked Bluetail | <i>Tarsiger cyanurus</i> | 1 | 1 |
| 132 | Common Redstart | <i>Phoenicurus phoenicurus</i> | 4 + 2h | LC |
| 133 | Whinchat | <i>Saxicola rubetra</i> | 5 | N/C |
| 134 | Northern Wheatear | <i>Oenanthe oenanthe</i> | 6 | C |
| 135 | Eurasian Blackbird | <i>Turdus merula</i> | 1 | N/C |
| 136 | Fieldfare | <i>Turdus pilaris</i> | 12 | C |
| 137 | Redwing | <i>Turdus iliacus</i> | 12 | C |
| 138 | Song Thrush | <i>Turdus philomelos</i> | 2 + 3h | N/C |
| 139 | Mistle Thrush | <i>Turdus viscivorus</i> | 3 | N/C |
| 140 | Sedge Warbler | <i>Acrocephalus schoenobaenus</i> | 4 | N/C |

| | | | | |
|-----|---------------------|------------------------------------|--------|--------|
| h | Icterine Warbler | <i>Hippolais icterina</i> | 1 | H Only |
| 141 | Blackcap | <i>Sylvia atricapilla</i> | 1 + 2h | N/C |
| 142 | Garden Warbler | <i>Sylvia borin</i> | 2 + 1h | 1 |
| 143 | Common Whitethroat | <i>Sylvia communis</i> | 1 | 1 |
| 144 | Lesser Whitethroat | <i>Sylvia curruca</i> | 1 | 1 |
| 145 | Willow Warbler | <i>Phylloscopus trochilus</i> | 12 | C |
| h | Common Chiffchaff | <i>Phylloscopus collybita</i> | 1 | H Only |
| 146 | Wood Warbler | <i>Phylloscopus sibilatrix</i> | 1 + 2h | 1 |
| h | Goldcrest | <i>Regulus regulus</i> | 1 | H Only |
| 147 | Spotted Flycatcher | <i>Muscicapa striata</i> | 3 | 1 |
| 148 | Pied Flycatcher | <i>Ficedula hypoleuca</i> | 9 | C |
| 149 | Willow Tit | <i>Parus montanus</i> | 5 | 2 |
| 150 | Siberian Tit | <i>Parus cinctus</i> | 1 | 2 |
| 151 | Great Tit | <i>Parus major</i> | 9 | C |
| 152 | Blue Tit | <i>Parus caeruleus</i> | 6 | N/C |
| 153 | Red-backed Shrike | <i>Lanius collurio [cristatus]</i> | 1 | 1 |
| 154 | Eurasian Jay | <i>Garrulus glandarius</i> | 1 | 1 |
| 155 | Siberian Jay | <i>Perisoreus infaustus</i> | 3 | 3 |
| 156 | Black-billed Magpie | <i>Pica pica</i> | 12 | C |
| 157 | Eurasian Jackdaw | <i>Corvus monedula</i> | 3 | N/C |
| 158 | Rook | <i>Corvus frugilegus</i> | 3 | N/C |
| 159 | Hooded Crow | <i>Corvus corone</i> | 12 | C |
| 160 | Common Raven | <i>Corvus corax</i> | 10 | 4 |
| 161 | Common Starling | <i>Sturnus vulgaris</i> | 2 | N/C |
| 162 | House Sparrow | <i>Passer domesticus</i> | 11 | C |
| 163 | Chaffinch | <i>Fringilla coelebs</i> | 7 | N/C |
| 164 | Brambling | <i>Fringilla montifringilla</i> | 8 | C |
| 165 | European Greenfinch | <i>Carduelis chloris</i> | 8 | C |
| 166 | Eurasian Siskin | <i>Carduelis spinus</i> | 9 | C |
| 167 | Arctic Redpoll | <i>Carduelis hornemanni</i> | 3 | 4 |
| 168 | Common Redpoll | <i>Carduelis flammea</i> | 8 | C |
| 169 | Eurasian Linnet | <i>Carduelis cannabina</i> | 3 | N/C |
| 170 | Twite | <i>Carduelis flavirostris</i> | 1 | 5 |
| 171 | Common Rosefinch | <i>Carpodacus erythrinus</i> | 3 + 1h | 4 |
| 172 | Pine Grosbeak | <i>Pinicola enucleator</i> | 2 | 1 |
| 173 | Parrot Crossbill | <i>Loxia pytyopsittacus</i> | 1 | 2 |
| 174 | Red Crossbill | <i>Loxia curvirostra</i> | 4 | 20+ |
| 175 | Eurasian Bullfinch | <i>Pyrrhula pyrrhula</i> | 7 | N/C |
| 176 | Yellowhammer | <i>Emberiza citrinella</i> | 4 + 1H | N/C |
| 177 | Ortolan Bunting | <i>Emberiza hortulana</i> | 2 | 2 |
| 178 | Little Bunting | <i>Emberiza pusilla</i> | 1 + 1h | 2 |
| 179 | Rustic Bunting | <i>Emberiza rustica</i> | 1 | 1 |
| 180 | Reed Bunting | <i>Emberiza schoeniclus</i> | 6 | N/C |
| 181 | Lapland Longspur | <i>Calcarius lapponicus</i> | 2 | 2 |
| 182 | Snow Bunting | <i>Plectrophenax nivalis</i> | 3 | 10+ |

OTHER

| | | |
|---------------|---------------------|----------------------|
| Brown Hare | Grey Seal | Green-veined White |
| Mountain Hare | Harbour Porpoise | Orange-tip Butterfly |
| Muskrat | Vole sp. | Green Hairstreak |
| Elk | Adder | Camberwell Beauty |
| Reindeer | Small Tortoiseshell | Cranberry Blue |
| Frog sp. | Large White | Four Spotted Chaser |
| Red Squirrel | Wood White | White-faced Darter |
| Stoat | Orange Tip | Common Lizard |
| Pine Weevil | Beluga Whale | Otter |
| Red Fox | Ladybird | Calypso Orchid |

Please note that our checklists do not include species seen by leaders only.

We also do not include single observer sightings or very poor views.

We do not count heard only or subspecies, although they are noted.

This we believe gives us a very honest accurate group total.

With this in mind we welcome you to compare our lists with other companies, check out our high standards and above all our prices which offer the very best value for money.

Phone: 01752 342001

**e-mail: Bird@birdseekers.freeserve.co.uk
342001**

Fax: 01752

www.birdseekers.co.uk

ATOL No. 6156

