

BIRDLIST FOR PERU 31st Jul – 18th Aug 2003

SPECIES		Scientific Name	No of days out of 19 recorded	Highest daily count C.= Common H.= Heard only N/C.= No count LC = Locally Common
1.	Cinereous Tinamou	<i>Crypturellus cinereus</i>	1 + 2h	
	Little Tinamou	<i>Crypturellus soui</i>	3h only	
	Brown Tinamou	<i>Crypturellus obsoletus</i>	1h only	
2.	Undulated Tinamou	<i>Crypturellus undulatus</i>	4 + 4h	
	Black-capped Tinamou	<i>Crypturellus atrocapillus</i>	4h only	
3.	Humboldt Penguin	<i>Spheniscus humboldti</i>	1	12+
4.	Least Grebe	<i>Tachybaptus dominicus</i>	2	N/C
5.	Pied-billed Grebe	<i>Podilymbus podiceps</i>	1	N/C
6.	White-tufted Grebe	<i>Rollandia rolland</i>	5	N/C
7.	Great Grebe	<i>Podiceps major</i>	2	N/C
8.	Silvery Grebe	<i>Podiceps occipitalis</i>	1	1
9.	Peruvian Pelican	<i>Pelecanus occidentalis thagus</i>	2	Common on coast
10.	Blue-footed Booby	<i>Sula nebouxii</i>	1	2
11.	Peruvian Booby	<i>Sula variegata</i>	2	Common on coast
12.	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	7	LC
13.	Guanay Cormorant	<i>Phalacrocorax bougainvillii</i>	1	C - Ballestas Islands
14.	Red-legged Cormorant	<i>Phalacrocorax gaimardi</i>	1	C - Ballestas Islands
15.	Anhinga	<i>Anhinga anhinga</i>	1	3
16.	Capped Heron	<i>Pilherodius pileatus</i>	2	N/C
17.	Cocoi Heron	<i>Ardea cocoi</i>	6	LC
18.	Great Egret	<i>Ardea alba</i>	7	LC
19.	Little Blue Heron	<i>Egretta caerulea</i>	4	N/C
20.	Snowy Egret	<i>Egretta thula</i>	10	C
21.	Cattle Egret	<i>Bubulcus ibis</i>	3	N/C
22.	Striated Heron	<i>Butorides striatus</i>	3	2
23.	Agami Heron	<i>Agamia agami</i>	1	1
24.	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	2	N/C
25.	Fasciated Tiger-heron	<i>Tigrisoma fasciatum</i>	3	7
26.	Rufescent Tiger-heron	<i>Tigrisoma lineatum</i>	2	1
27.	Least Bittern	<i>Ixobrychus exilis</i>	1	1
28.	Wood Stork	<i>Mycteria americana</i>	3	130+
29.	Jabiru	<i>Jabiru mycteria</i>	1	1
30.	Andean Ibis	<i>Theristicus melanopis branickii</i>	1	2
31.	Puna Ibis	<i>Plegadis ridgwayi</i>	4	LC
32.	Chilean Flamingo	<i>Phoenicopterus chilensis</i>	1	150+
33.	Horned Screamer	<i>Anhima cornuta</i>	1 + 4h	4
34.	Andean Goose	<i>Chloephaga melanoptera</i>	1	2
35.	Orinoco Goose	<i>Neochen jubata</i>	1	2
36.	Black-bellied Whistling Duck	<i>Dendrocygna autumnalis</i>	1	1
37.	Muscovy Duck	<i>Cairina moschata</i>	2	3
38.	Torrent Duck	<i>Merganetta armata</i>	1	8

39.	Speckled Teal	<i>Anas flavirostris</i>	1	N/C
40.	Yellow-billed Pintail	<i>Anas georgica</i>	3	N/C
41.	White-cheeked Pintail	<i>Anas bahamensis</i>	2	N/C
42.	Puna Teal	<i>Anas versicolor puna</i>	4	N/C
43.	Cinnamon Teal	<i>Anas cyanoptera</i>	5	N/C
44.	Andean Duck	<i>Oxyura ferruginea</i>	3	N/C
45.	Black Vulture	<i>Coragyps atratus</i>	9	C
46.	Turkey Vulture	<i>Cathartes aura</i>	9	C
47.	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	9	C
48.	Andean Condor	<i>Vultur gryphus</i>	2	1
49.	King Vulture	<i>Sarcoramphus papa</i>	1	3
50.	Osprey	<i>Pandion haliaetus</i>	3	N/C
51.	Grey-headed Kite	<i>Leptodon cayanensis</i>	1	1
52.	Swallow-tailed Kite	<i>Elanoides forficatus</i>	3	4
53.	Double-toothed Kite	<i>Harpagus bidentatus</i>	6	LC
54.	Plumbeous Kite	<i>Ictinia plumbea</i>	8	LC
55.	Cinereous Harrier	<i>Circus cinereus</i>	2	2
56.	Tiny Hawk	<i>Accipiter superciliosus</i>	1	1
57.	Crane Hawk	<i>Geranospiza caerulescens</i>	1	1
58.	Great Black Hawk	<i>Buteogallus urubitinga</i>	2	N/C
59.	Harris' Hawk	<i>Parabuteo unicinctus</i>	1	1
60.	Black-chested Buzzard-eagle	<i>Geranoaetus melanoleucus</i>	2	1
61.	Solitary Eagle	<i>Harpyhaliaetus solitarius</i>	1	1
62.	Roadside Hawk	<i>Buteo magnirostris</i>	6	LC
63.	White-rumped Hawk	<i>Buteo leucorrhous</i>	1	1
64.	Short-tailed Hawk	<i>Buteo brachyurus</i>	1	2
65.	Variable Hawk	<i>Buteo poecilochrous</i>	7	3
66.	Crested Eagle	<i>Morphnus guianensis</i>	1	1
67.	Black-and-chestnut Eagle	<i>Oroaetus isidori</i>	1	1
68.	Black Caracara	<i>Daptrius ater</i>	4	N/C
69.	Red-throated Caracara	<i>Ibycter americanus</i>	5	N/C
70.	Mountain Caracara	<i>Phalcoboenus megalopterus</i>	5	6
71.	Barred Forest-falcon	<i>Micrastur ruficollis</i>	3	1
	Lined Forest-falcon	<i>Micrastur gilvicollis</i>	1h only	
72.	American Kestrel	<i>Falco sparverius</i>	5	N/C
73.	Aplomado Falcon	<i>Falco femoralis</i>	1	1
74.	Bat Falcon	<i>Falco rufigularis</i>	3	N/C
75.	Peregrine Falcon	<i>Falco peregrinus</i>	1	1
76.	Speckled Chachalaca	<i>Ortalis motmot guttata</i>	6	N/C
77.	Andean Guan	<i>Penelope montagnii</i>	2	7
78.	Spix's Guan	<i>Penelope jacquacu</i>	4	N/C
79.	Blue-throated Piping-guan	<i>Pipile pipile cumanensis</i>	6	N/C
80.	Starred Wood-quail	<i>Odontophorus stellatus</i>	1	1
81.	Hoatzin	<i>Opisthocomus hoazin</i>	4	N/C
82.	Limpkin	<i>Aramus guarauna</i>	1	1
83.	Pale-winged Trumpeter	<i>Psophia crepitans leucoptera</i>	2	7
84.	Rufous-sided Crane	<i>Laterallus melanophaius</i>	3 + 1h	2
85.	Grey-necked Wood-rail	<i>Aramides cajanea</i>	3	1

86.	Blackish Rail	<i>Pardirallus nigricans</i>	2 + 1h	1
87.	Plumbeous Rail	<i>Pardirallus sanguinolentus</i>	2	4
88.	Common Moorhen	<i>Gallinula chloropus</i>	5	N/C
89.	Andean Coot	<i>Fulica ardesiaca</i>	5	N/C
90.	Sungrebe	<i>Heliornis fulica</i>	3	1
91.	Sunbittern	<i>Eurypyga helias</i>	4	1
92.	Wattled Jacana	<i>Jacana spinosa jacana</i>	1	6
93.	Blackish Oystercatcher	<i>Haematopus ater</i>	1	8
94.	American Oystercatcher	<i>Haematopus palliatus</i>	1	N/C
95.	Black-necked Stilt	<i>Himantopus mexicanus</i>	2	N/C
96.	Peruvian Thick-knee	<i>Burhinus superciliaris</i>	1	3
97.	Pied Lapwing	<i>Vanellus cayanus</i>	3	N/C
98.	Andean Lapwing	<i>Vanellus resplendens</i>	4	20+
99.	Grey Plover	<i>Pluvialis squatarola</i>	1	N/C
100	Semipalmated Plover	<i>Charadrius semipalmatus</i>	1	N/C
101	Killdeer	<i>Charadrius vociferus</i>	2	N/C
102	Collared Plover	<i>Charadrius collaris</i>	3	N/C
103	Snowy Plover	<i>Charadrius alexandrinus</i>	1	5
104	Tawny-throated Dotterel	<i>Oreopholus ruficollis</i>	1	25+
105	Greater Yellowlegs	<i>Tringa melanoleuca</i>	3	N/C
106	Lesser Yellowlegs	<i>Tringa flavipes</i>	2	N/C
107	Spotted Sandpiper	<i>Actitis macularia</i>	2	N/C
108	Surfbird	<i>Aphriza virgata</i>	1	7
109	Western Sandpiper	<i>Calidris mauri</i>	1	N/C
110	Pectoral Sandpiper	<i>Calidris melanotos</i>	4	3
111	Chilean Skua	<i>Stercorarius chilensis</i>	1	1
112	Band-tailed Gull	<i>Larus belcheri</i>	2	N/C
113	Grey Gull	<i>Larus modestus</i>	2	N/C
114	Kelp Gull	<i>Larus dominicanus</i>	2	N/C
115	Grey-headed Gull	<i>Larus cirrocephalus</i>	2	N/C
116	Andean Gull	<i>Larus serranus</i>	4	5+
117	Franklin's Gull	<i>Larus pipixcan</i>	1	2
118	Yellow-billed Tern	<i>Sterna superciliaris</i>	5	8+
119	Peruvian Tern	<i>Sterna lorata</i>	1	6+
120	Large-billed Tern	<i>Phaetusa simplex</i>	5	N/C
121	Inca Tern	<i>Larosterna inca</i>	1	100+
122	Black Skimmer	<i>Rynchops niger</i>	3	5
123	Spot-winged Pigeon	<i>Columba maculosa</i>	2	N/C
124	Band-tailed Pigeon	<i>Columba fasciata</i>	1	4+
125	Pale-vented Pigeon	<i>Columba cayennensis</i>	3	N/C
126	Ruddy Pigeon	<i>Columba subvinacea</i>	3	N/C
127	Eared Dove	<i>Zenaida auriculata</i>	4	N/C
128	Pacific Dove	<i>Zenaida asiatica meloda</i>	2	N/C
129	Ruddy Ground-dove	<i>Columbina talpacoti</i>	2	N/C
130	Croaking Ground-dove	<i>Columbina cruziana</i>	2	30+
131	Bare-faced Ground-dove	<i>Metriopelia ceciliae</i>	1	2
132	White-tipped Dove	<i>Leptotila verreauxi</i>	1	3
133	Grey-fronted Dove	<i>Leptotila rufaxilla</i>	6	4

134	Blue-and-yellow Macaw	<i>Ara ararauna</i>	6	8
135	Military Macaw	<i>Ara militaris</i>	1 + 1h	9
136	Scarlet Macaw	<i>Ara macao</i>	4	N/C
137	Red and Green Macaw	<i>Ara chloroptera</i>	4	N/C
138	Chestnut-fronted Macaw	<i>Ara severa</i>	6	N/C
139	Blue-headed Macaw	<i>Propyrrhura couloni</i>	4	8+
140	Mitred Parakeet	<i>Aratinga mitrata</i>	1	30+
141	White-eyed Parakeet	<i>Aratinga leucophthalmus</i>	4	N/C
142	Dusky-headed Parakeet	<i>Aratinga weddellii</i>	6	LC
	Golden-plumed Parakeet	<i>Leptosittaca branickii</i>	1h only	
143	Painted Parakeet	<i>Pyrrhura picta</i>	1	2
144	Cobalt-winged Parakeet	<i>Brotogeris cyanopectera</i>	4	N/C
145	Tui Parakeet	<i>Brotogeris sanctithomae</i>	2	15+
146	White-bellied Parrot	<i>Pionites leucogaster</i>	1	7
147	Orange-cheeked Parrot	<i>Pionopsitta barrabandi</i>	1	8+
148	Blue-headed Parrot	<i>Pionus menstruus</i>	6	LC
149	Speckled-faced Parrot	<i>Pionus tumultuosus</i>	1	1
150	Yellow-crowned Parrot	<i>Amazona ochrocephala</i>	2	N/C
151	Scaly-naped Parrot	<i>Amazona mercenaria</i>	2	26
152	Mealy Parrot	<i>Amazona farinosa</i>	3	N/C
153	Squirrel Cuckoo	<i>Piaya cayana</i>	9	5
154	Little Cuckoo	<i>Piaya minuta</i>	2	1
155	Smooth-billed Ani	<i>Crotophaga ani</i>	2	N/C
156	Groove-billed Ani	<i>Crotophaga sulcirostris</i>	1	N/C
157	Rufescent Screech-owl	<i>Otus ingens</i>	1	1
158	Tawny-bellied Screech-owl	<i>Otus watsonii</i>	1 + 3h	1
159	Spectacled Owl	<i>Pulsatrix perspicillata</i>	1	1
160	Burrowing Owl	<i>Athene cunicularia</i>	1	3
161	Long-tailed Potoo	<i>Nyctibius aethereus</i>	1	1
162	Common (Grey) Potoo	<i>Nyctibius griseus</i>	1	1
163	Sand-coloured Nighthawk	<i>Chordeiles rupestris</i>	4	35+
164	Pauraque	<i>Nyctidromus albigollis</i>	1 + 6h	1
165	Silky-tailed Nightjar	<i>Caprimulgus sericocaudatus</i>	1	1
166	Lyre-tailed Nightjar	<i>Uropsalis lyra</i>	2	1
167	Chestnut-collared Swift	<i>Streptoprocne rutila</i>	3	n/c
168	White-collared Swift	<i>Streptoprocne zonaris</i>	7	N/C
169	Short-tailed Swift	<i>Chaetura brachyura</i>	2	N/C
170	Fork-tailed Palm-swift	<i>Tachornis squamata</i>	2	N/C
171	Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>	1	3
172	Rufous-breasted Hermit	<i>Glaucis hirsuta</i>	3	1
173	Green Hermit	<i>Phaethornis guy</i>	1	1
174	White-bearded Hermit	<i>Phaethornis hispidus</i>	4	2
175	Koepcke's Hermit	<i>Phaethornis koepckeae</i>	2	1
176	Needle-billed Hermit	<i>Phaethornis philippii</i>	1	1
177	Reddish Hermit	<i>Phaethornis ruber</i>	1	1
178	White-browed Hermit	<i>Phaethornis ruber stuarti</i>	1	1
179	Grey-breasted Sabrewing	<i>Campylopterus largipennis</i>	4	2
180	White-necked Jacobin	<i>Florisuga mellivora</i>	4	2

181	Green Violet-ear	<i>Colibri thalassinus</i>	1	2
182	Sparkling Violet-ear	<i>Colibri coruscans</i>	6	LC
183	Black-throated Mango	<i>Anthracothorax nigricollis</i>	1	1
184	Violet-headed Hummingbird	<i>Klais guimeti</i>	4	N/C
185	Rufous-crested Coquette	<i>Lophornis delattrei</i>	4	2
186	Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>	3	N/C
187	Fork-tailed Woodnymph	<i>Thalurania furcata</i>	7	LC
188	Golden-tailed Sapphire	<i>Chrysuronia oenone</i>	4	3
189	White-bellied Hummingbird	<i>Leucippus chionogaster</i>	2	5
190	Green-and-white Hummingbird	<i>Leucippus viridicauda</i>	1	3
191	Many-spotted Hummingbird	<i>Leucippus hypostictus</i>	3	1
192	Amazilia Hummingbird	<i>Amazilia amazilia</i>	2	2
193	Sapphire-spangled Emerald	<i>Polyerata lactea</i>	2	2
194	Gould's Jewelfront	<i>Heliodoxa aurescens</i>	1	1
195	Violet-fronted Brilliant	<i>Heliodoxa leadbeateri</i>	3	N/C
196	Black-throated Brilliant	<i>Heliodoxa schreibersii</i>	1	1
197	Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>	1	6
198	Shining Sunbeam	<i>Aglaeactis cupripennis</i>	2	1
199	White-tufted Sunbeam	<i>Aglaeactis castelnaudii</i>	1	1
200	Gould's Inca	<i>Coeligena torquata inca</i>	1	2
201	Violet-throated Starfrontlet	<i>Coeligena violifer</i>	2	1
202	Sword-billed Hummingbird	<i>Ensifera ensifera</i>	1	2
203	Giant Hummingbird	<i>Patagona gigas</i>	2	1
204	Amethyst-throated Sunangel	<i>Helianthus amethysticollis</i>	1	2
205	Buff-thighed Puffleg	<i>Haplophaedia assimilis</i>	1	2
206	Booted Racket-tail	<i>Ocreatus underwoodii</i>	3	2
207	Green-tailed Trainbearer	<i>Lesbia nuna</i>	2	1
208	Bearded Mountaineer	<i>Oreonympha nobilis</i>	1	2
209	Tyrian Metaltail	<i>Metallura tyrianthina</i>	2	3
210	Scaled Metaltail	<i>Metallura aeneocauda</i>	1	2
211	Rufous-capped Thornbill	<i>Chalcostigma ruficeps</i>	2	1
212	Long-tailed Sylph	<i>Agelaiocercus kingi</i>	1	2
213	Wedge-billed Hummingbird	<i>Augastes geoffroyi</i>	1	2
214	Peruvian Sheartail	<i>Thaumastura cora</i>	2	3
215	Purple-backed Thornbill	<i>Ramphomicron microrhynchum</i>	1	1
216	Amethyst Woodstar	<i>Calliphlox amethystina</i>	3	N/C
217	White-bellied Woodstar	<i>Chaetocercus mulsant</i>	1	1
218	White-tailed Trogon	<i>Trogon viridis</i>	3	N/C
219	Violaceous Trogon	<i>Trogon violaceus</i>	2	N/C
220	Collared Trogon	<i>Trogon collaris</i>	2	N/C
221	Masked Trogon	<i>Trogon personatus</i>	1	3
222	Black-tailed Trogon	<i>Trogon melanurus</i>	1	1
223	Blue-crowned Trogon	<i>Trogon curucui</i>	4	N/C
224	Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	1 + 1h	1
225	Ringed Kingfisher	<i>Ceryle torquata</i>	3	2
226	Amazon Kingfisher	<i>Chloroceryle amazona</i>	7	LC
227	Green Kingfisher	<i>Chloroceryle americana</i>	2	1
228	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	1	1
229	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>	3	1

230	Blue-crowned Motmot	<i>Momotus momota</i>	1 + 1h	1
231	Highland Motmot	<i>Momotus aequatorialis</i>	4	2
232	Rufous Motmot	<i>Baryphthengus martii</i>	1 + 1h	1
233	Chestnut (Purus) Jacamar	<i>Galbalcyrrhynchus purusianus</i>	1	4
234	Bluish-fronted Jacamar	<i>Galbula cyanescens</i>	1	3
235	Paradise Jacamar	<i>Galbula dea</i>	2	1
236	Chestnut-capped Puffbird	<i>Bucco macrodactylus</i>	1	1
237	Striolated Puffbird	<i>Nystalus striolatus</i>	2	1
238	Rufous-capped Nunlet	<i>Nonnula ruficapilla</i>	1	1
239	White-fronted Nunbird	<i>Monasa morphoeus</i>	1	2
240	Black-fronted Nunbird	<i>Monasa nigrifrons</i>	8	LC
241	Yellow-billed Nunbird	<i>Monasa flavirostris</i>	1	1
242	Swallow-wing	<i>Chelidoptera tenebrosa</i>	6	LC
243	Gilded Barbet	<i>Capito auratus</i>	2 + 1h	2
244	Lemon-throated Barbet	<i>Eubucco richardsoni</i>	3 + 1h	2
245	Scarlet-hooded Barbet	<i>Eubucco bourcierii</i> <i>tucinkae</i>	1	2
246	Versicoloured Barbet	<i>Eubucco versicolor</i>	3	2
247	Emerald Toucanet	<i>Aulacorhynchus prasinus</i>	2	2
248	Blue-banded Toucanet	<i>Aulacorhynchus coeruleicinctis</i>	1 + 1h	2
249	Brown-mandibled Aracari	<i>Pteroglossus azara mariae</i>	1	5
250	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>	5	5
251	Curl-crested Aracari	<i>Pteroglossus beauharnaesii</i>	1	1
252	Grey-breasted Mountain-toucan	<i>Andigena hypoglauca</i>	1	1
253	Golden-collared Toucanet	<i>Selenidera reinwardtii</i>	1	2
254	Yellow-ridged Toucan	<i>Ramphastos culminatus</i>	1 + 1h	2
255	Cuvier's Toucan	<i>Ramphastos tucanus cuvieri</i>	3 + 1h	2
256	Bar-breasted Piculet	<i>Picumnus aurifrons borbae</i>	1	2
257	Ocellated Piculet	<i>Picumnus dorbygnianus</i>	1	3
258	Rufous-breasted Piculet	<i>Picumnus rufiventris</i>	1	3
259	Fine-barred Piculet	<i>Picumnus subtilis</i>	2	2
260	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	5	LC
261	Little Woodpecker	<i>Veniliornis passerinus</i>	4	2
262	Red-stained Woodpecker	<i>Veniliornis affinis</i>	2	2
263	Golden-olive Woodpecker	<i>Piculus rubiginosus</i>	1	1
264	Spot-breasted Woodpecker	<i>Colaptes punctigula</i>	2	2
265	Andean Flicker	<i>Colaptes rupicola</i>	2	2
266	Cream-coloured Woodpecker	<i>Celeus flavus</i>	1	1
267	Rufous-headed Woodpecker	<i>Celeus spectabilis</i>	2	1
268	Lineated Woodpecker	<i>Dryocopus lineatus</i>	2	2
269	Crimson-bellied Woodpecker	<i>Campephilus haematogaster</i>	1	1
270	Red-necked Woodpecker	<i>Campephilus rubricollis</i>	1	1
271	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	6	2
272	Coastal Miner	<i>Geositta peruviana</i>	2	2
273	Slender-billed Miner	<i>Geositta tenuirostris</i>	1	1
274	Peruvian Seaside Cinclodes	<i>Cinclodes taczanowskii</i>	1	3
275	Bar-winged Cinclodes	<i>Cinclodes fuscus</i>	1	2
276	Royal Cinclodes	<i>Cinclodes aricomae</i>	1	1
277	White-winged Cinclodes	<i>Cinclodes atacamensis</i>	2	3

278	Pale-legged Hornero	<i>Furnarius leucopus</i>	4 + 1h	2
279	White-browed Tit-spinetail	<i>Leptasthenura</i>	1	2
280	Tawny Tit-spinetail	<i>Leptasthenura yanacensis</i>	1	3
281	Wren-like Rushbird	<i>Phleocryptes melanops</i>	2	5
282	Azara's Spinetail	<i>Synallaxis azarae</i>	2 + 1h	2
283	Dark-breasted Spinetail	<i>Synallaxis albigularis</i>	1	2
284	Cabanis' Spinetail	<i>Synallaxis cabanisi</i>	1	2
285	Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>	3	2
286	Creamy-crested Spinetail	<i>Cranioleuca albicapilla</i>	2	2
287	Marcapata Spinetail	<i>Cranioleuca marcapatae</i>	1	1
288	Ash-browed Spinetail	<i>Cranioleuca curtata</i>	1	2
289	Rusty-fronted Canastero	<i>Asthenes ottonis</i>	1	3
290	Streak-throated Canastero	<i>Asthenes humilis</i>	1	2
291	Line-fronted Canastero	<i>Asthenes urubambensis</i>	1	1
292	Plain Softtail	<i>Phacellodomus fusciceps</i>	1	2
293	Streak-fronted Thornbird	<i>Phacellodomus striaticeps</i>	1	2
294	Orange-fronted Plushcrown	<i>Metopothrix aurantiacus</i>	1	1
295	Rusty-winged Barbtail	<i>Premnornis guttuligera</i>	1	1
296	Spotted Barbtail	<i>Premnoplex brunnescens</i>	1	1
297	Pearled Treerunner	<i>Margarornis squamiger</i>	1	1
298	Slender-billed Xenops	<i>Xenops tenuirostris</i>	2	2
299	Plain Xenops	<i>Xenops minutus</i>	4	2
300	Streaked Xenops	<i>Xenops rutilans</i>	1	1
301	Montane Foliage-gleaner	<i>Anabacerthia striaticollis</i>	3	2
302	Striped Treehunter	<i>Thripadectes holostictus</i>	1 + 1h	1
303	Chestnut-winged Foliage-gleaner	<i>Philydor erythropterus</i>	1	1
304	Rufous-tailed Foliage-gleaner	<i>Philydor ruficaudatus</i>	2	2
305	Dusky-cheeked Foliage-gleaner	<i>Anabazenops dorsalis</i>	1	1
306	Chestnut-crowned Foliage-gleaner	<i>Automolus rufipileatus</i>	1 + 1h	2
307	Brown-rumped Foliage-gleaner	<i>Automolus melanopezus</i>	1	1
308	Tawny-throated Leaf-tosser	<i>Sclerurus mexicanus</i>	1	2
309	Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	1	1
310	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	2	2
311	Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	2	1
312	Long-billed Woodcreeper	<i>Nasica longirostris</i>	1	1
313	Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>	2	2
314	Black-banded Woodcreeper	<i>Dendrocolaptes picumnus</i>	1	1
315	Ocellated Woodcreeper	<i>Xiphorhynchus ocellatus</i>	1	1
316	Elegant (Spix's) Woodcreeper	<i>Xiphorhynchus spixii elegans</i>	2	2
317	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>	8	LC
318	Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>	2	1
319	Lineated Woodcreeper	<i>Lepidocolaptes albolineatus</i>	2	2
320	Red-billed Scythebill	<i>Campylorhamphus trochilirostris</i>	3	2
321	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	1	2
322	Bamboo Antshrike	<i>Cymbilaimus sanctaemariae</i>	2	2
323	Great Antshrike	<i>Taraba major</i>	3	2
324	Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>	1	1
325	Uniform Antshrike	<i>Thamnophilus unicolor</i>	2	1
326	Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>	3	2

327	Spot-winged Antshrike	<i>Pygoptila stelleris</i>	2	1
328	Russet Antshrike	<i>Thamnistes anabatinus</i>	1	1
329	Bluish-slate Antshrike	<i>Thamnomanes schistogynus</i>	2	2
330	Pygmy Antwren	<i>Myrmotherula brachyura</i>	4	3
331	Amazonian Streaked Antwren	<i>Myrmotherula multistriata</i>	1	1
332	Stripe-chested Antwren	<i>Myrmotherula longicauda</i>	3	1
333	Plain-throated Antwren	<i>Myrmotherula huxwelli</i>	1	2
334	Ornate Antwren	<i>Myrmotherula ornata</i>	1	1
335	White-flanked Antwren	<i>Myrmotherula axillaris</i>	1	2
336	Long-winged Antwren	<i>Myrmotherula longipennis</i>	2	1
337	Grey Antwren	<i>Myrmotherula menetriesii</i>	4	2
338	Dot-winged Antwren	<i>Microrhopias quixensis</i>	3	3
339	Striated Antbird	<i>Drymophila devillei</i>	1	1
340	Blackish Antbird	<i>Cercomacra nigrescens</i>	1	2
341	Manu Antbird	<i>Cercomacra manu</i>	2	2
342	White-backed Fire-eye	<i>Pyriglena leuconota</i>	2	2
343	White-browed Antbird	<i>Myrmoborus leucophrys</i>	4 + 1h	2
344	Black-faced Antbird	<i>Myrmoborus myotherinus</i>	1	1
345	Warbling Antbird	<i>Hypocnemis cantator</i>	1 + 2h	2
346	Band-tailed Antbird	<i>Hypocnemoides maculicauda</i>	3	2
347	Silvered Antbird	<i>Sclateria naevia</i>	3	1
348	White-lined Antbird	<i>Pernostola lophotes</i>	3	2
349	Chestnut-tailed Antbird	<i>Myrmeciza hemimelaena</i>	1	1
350	Plumbeous Antbird	<i>Myrmeciza hyperythra</i>	2	2
351	Goeldi's Antbird	<i>Myrmeciza goeldii</i>	3	3
352	Sooty Antbird	<i>Myrmeciza fortis</i>	2	1
353	Black-throated Antbird	<i>Myrmeciza atrothorax</i>	1	1
354	White-throated Antbird	<i>Gymnophithys salvini</i>	2	1
355	Hairy-crested Antbird	<i>Rhegmatorhina melanosticta</i>	1	1
356	Black-spotted Bare-eye	<i>Phlegopsis nigromaculata</i>	3	4
357	Black-faced Antthrush	<i>Formicarius analis</i>	3 + 1h	1
358	Rufous-fronted Antthrush	<i>Formicarius rufifrons</i>	1 + 1h	1
	Rufous-breasted Antthrush	<i>Formicarius rufipectus</i>	H ONLY	
359	Stripe-headed Antpitta	<i>Grallaria andicola</i>	1	1
	White-throated Antpitta	<i>Grallaria albigula</i>	H ONLY	
	Amazonian Antpitta	<i>Hyllopezus berlepschi</i>	H ONLY	
360	Thrush-like Antpitta	<i>Myrmothera campanisona</i>	2	1
361	Slaty Gnateater	<i>Conopophaga ardesiaca</i>	2	2
362	Rusty-belted Tapaculo	<i>Liosceles thoracicus</i>	1 + 4h	1
	Trilling Tapaculo	<i>Scytalopus parvirostris</i>	H ONLY	
363	Bolivian Tapaculo	<i>Scytalopus bolivianus</i>	1 + 1h	2
364	Cinereous Mourner	<i>Laniocera hypopyrra</i>	1	1
365	Red-crested Cotinga	<i>Ampelion rubrocristata</i>	1	1
366	Barred Fruiteater	<i>Pipreola arcuata</i>	2	1
367	Masked Fruiteater	<i>Pipreola pulchra</i>	1	2
368	Screaming Piha	<i>Lipaugus vociferans</i>	1 + 3h	2
369	Plum-throated Cotinga	<i>Cotinga cotinga maynana</i>	5	2
370	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	5	2

371	Purple-throated Fruitcrow	<i>Querula purpurata</i>	1	2
372	Andean Cock-of-the-rock	<i>Rupicola peruviana</i>	3 + 1h	10+
373	Blue-backed Manakin	<i>Chiroxiphia pareola</i>	1	1
374	Yungas Manakin	<i>Chiroxiphia boliviana</i>	2	2
375	Band-tailed Manakin	<i>Pipra fasciicauda</i>	3 + 1h	3
376	Blue-crowned Manakin	<i>Pipra coronata</i>	2	1
	Round-tailed Manakin	<i>Pipra chloromeros</i>	H ONLY	
377	Fiery-capped Manakin	<i>Machaeropterus pyrocephalus</i>	2 + 1h	1
378	Dwarf Tyrant-manakin	<i>Tyrannutes stolzmanni</i>	1	1
379	Wing-barred Piprites	<i>Piprites chloris</i>	1	1
380	White-lored Tyrannulet	<i>Ornithion inermis</i>	1	1
381	Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>	1	1
382	Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	1	1
383	Forest Elaenia	<i>Myiopagis gaimardii</i>	3	2
384	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	3	2
385	White-crested Elaenia	<i>Elaenia albiceps</i>	1	1
386	Mottle-backed Elaenia	<i>Elaenia gigas</i>	4	2
387	Sierran Elaenia	<i>Elaenia pallatangae</i>	2	1
388	Torrent Tyrannulet	<i>Serpophaga cinerea</i>	3	3
389	Streak-necked Flycatcher	<i>Mionectes striaticollis</i>	1	1
390	Olive-striped Flycatcher	<i>Mionectes olivaceus</i>	3	2
391	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	1	1
392	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea</i>	4	LC
393	Inca Flycatcher	<i>Leptopogon taczanowskii</i>	1	1
394	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>	1	2
395	Marble-faced Bristle-tyrant	<i>Phylloscartes ophthalmicus</i>	3	1
396	Cinnamon-faced Tyrannulet	<i>Phylloscartes parkeri</i>	2	1
397	Mottle-cheeked Tyrannulet	<i>Phylloscartes ventralis</i>	1	2
398	Sclater's Tyrannulet	<i>Phyllomyias sclateri</i>	1	1
399	Plumbeous-crowned Tyrannulet	<i>Phyllomyias plumbeiceps</i>	1	1
400	Ashy-headed Tyrannulet	<i>Phyllomyias cinereiceps</i>	1	1
401	Bolivian Tyrannulet	<i>Zimmerius bolivianus</i>	1	1
402	Southern Scrub-flycatcher	<i>Sublegatus modestus</i>	1	2
403	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>	1	1
404	White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>	1	1
405	Unstreaked Tit-tyrant	<i>Uromyias agraphia</i>	1	3
406	Ash-breasted Tit-tyrant	<i>Anairetes alpinus</i>	1	3
407	Yellow-billed Tit-tyrant	<i>Anairetes flavirostris</i>	2	3
408	Tufted Tit-tyrant	<i>Anairetes parulus</i>	1	3
409	Many-coloured Rush-tyrant	<i>Tachuris rubrigastra</i>	2	5
410	Short-tailed Pygmy-tyrant	<i>Myiornis ecaudatus</i>	3	2
411	Scale-crested Pygmy-tyrant	<i>Lophotriccus pileatus</i>	1	1
412	White-cheeked Tody-tyrant	<i>Poecilatriccus albifacies</i>	1	2
413	Flammulated Bamboo-tyrant	<i>Hemitriccus flammulatus</i>	1	1
414	Johanne's Tody-tyrant	<i>Hemitriccus iohannis</i>	2	2
415	Ochre-faced Tody-flycatcher	<i>Todirostrum plumbeiceps</i>	1	1
416	Rusty-fronted Tody-flycatcher	<i>Todirostrum latirostre</i>	1	1
417	Ringed Antpipit	<i>Corythopsis torquata</i>	2	2

418	Large-headed Flatbill	<i>Ramphotricon megacephala</i>	2	1
419	Dusky-tailed Flatbill	<i>Ramphotricon fuscicauda</i>	1	1
420	Rufous-tailed Flatbill	<i>Ramphotricon ruficauda</i>	1	1
421	Fulvous-breasted Flatbill	<i>Rhynchocyclus fulvipectus</i>	1	1
422	Yellow-margined Flycatcher	<i>Tolmomyias assimilis</i>	1	1
423	Grey-crowned Flycatcher	<i>Tolmomyias poliocephalus</i>	2	2
424	Ornate Flycatcher	<i>Myiobrycon ornatus</i>	1	1
425	Unadorned Flycatcher	<i>Myiophobus inornatus</i>	1	1
426	Bran-coloured Flycatcher	<i>Myiophobus fasciatus</i>	5	2
427	Smoke-coloured Pewee	<i>Contopus fumigatus</i>	2	6
428	Black Phoebe	<i>Sayornis nigricans</i>	5	3
429	Vermillion Flycatcher	<i>Pyrocephalus rubinus</i>	7	LC
430	Maroon-chested Chat-tyrant	<i>Ochthoeca thoracica</i>	1 + 1h	2
431	D'Orbigny's Chat-tyrant	<i>Ochthoeca oenanthoides</i>	1	2
432	Rufous-breasted Chat-tyrant	<i>Ochthoeca rufipectoralis</i>	1	2
433	Brown-backed Chat-tyrant	<i>Ochthoeca fumicolor</i>	1	3
434	White-browed Chat-tyrant	<i>Ochthoeca leucophrys</i>	3	4
435	Drab Water-tyrant	<i>Ochthornis littoralis</i>	4	6
436	Red-rumped Bush-tyrant	<i>Cnemarchus erythropygius</i>	1	1
437	Streak-throated Bush-tyrant	<i>Myiotheretes striaticollis</i>	1	1
438	Black-billed Shrike-tyrant	<i>Agriornis montana</i>	1	1
439	Rufous-webbed Tyrant	<i>Polioptila rufipennis</i>	1	2
440	Spot-billed Ground-tyrant	<i>Muscisaxicola maculirostris</i>	2	2
441	Little Ground-tyrant	<i>Muscisaxicola fluviatilis</i>	2	1
442	Rufous-naped Ground-tyrant	<i>Muscisaxicola rufivertex</i>	1	2
443	Puna Ground-tyrant	<i>Muscisaxicola juninensis</i>	1	3
444	Plain-capped Ground-tyrant	<i>Muscisaxicola alpina</i>	1	1
445	Ochre-naped Ground-tyrant	<i>Muscisaxicola flavinucha</i>	1	2
446	Short-tailed Field-tyrant	<i>Muscigralla brevicauda</i>	2	1
447	Andean Negrito	<i>Lessonia rufa oreas</i>	1	6+
448	White-winged Black-tyrant	<i>Knipolegus aterrimus</i>	2	1
449	Yellow-browed Tyrant	<i>Satrapa icterophrys</i>	1	1
450	Long-tailed Tyrant	<i>Colonia colonus</i>	4	5
451	White-eyed Attila	<i>Attila bolivianus</i>	1 + 1h	1
452	Sirystes	<i>Sirystes sibilator</i>	1	2
453	Greyish Mourner	<i>Rhytipterna simplex</i>	1	1
454	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	1	2
455	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	2	1
456	Short-crested Flycatcher	<i>Myiarchus ferox</i>	5	LC
457	Lesser Kiskadee	<i>Philohydor lictor</i>	1	3
458	Great Kiskadee	<i>Pitangus sulphuratus</i>	1	5
459	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	4	4
460	Social Flycatcher	<i>Myiozetetes similis</i>	8	LC
461	Grey-capped Flycatcher	<i>Myiozetetes granadensis</i>	7	LC
462	Lemon-browed Flycatcher	<i>Conopias cinchoneti</i>	1	1
463	Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>	1	1
464	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	4	N/C
465	Tropical Kingbird	<i>Tyrannus melancholicus</i>	12	C

466	Barred Becard	<i>Pachyramphus versicolor</i>	3	2
467	White-winged Becard	<i>Pachyramphus polychopterus</i>	2	1
468	Black-capped Becard	<i>Pachyramphus marginatus</i>	1	1
469	Pink-throated Becard	<i>Pachyramphus minor</i>	1	1
470	Black-tailed Tityra	<i>Tityra cayana</i>	3	4
471	Masked Tityra	<i>Tityra semifasciata</i>	3	2
472	Brown-chested Martin	<i>Progne tapera</i>	3	N/C
473	White-winged Swallow	<i>Tachycineta albiventer</i>	6	LC
474	Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	7	LC
475	Brown-bellied Swallow	<i>Notiochelidon murina</i>	2	N/C
476	Pale-footed Swallow	<i>Notiochelidon flavipes</i>	1	N/C
477	White-banded Swallow	<i>Atticora fasciata</i>	5	N/C
478	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	9	C
479	Chestnut-collared Swallow	<i>Petrochelidon rufocollaris</i>	1	3
480	Paramo Pipit	<i>Anthus bogotensis</i>	1	1
481	White-capped Dipper	<i>Cinclus leucocephalus</i>	1	3
482	Black-capped Donacobius	<i>Donacobius atricapillus</i>	5	2
483	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	4	2
484	Grey-mantled Wren	<i>Odontorchilus branickii</i>	2	2
485	Fulvous Wren	<i>Cinnycerthia unirufa fulva</i>	1	1
486	Inca Wren	<i>Thryothorus eisenmanni</i>	1 + 1h	3
487	Moustached Wren	<i>Thryothorus genibarbis</i>	3 + 2h	2
488	Southern House-Wren	<i>Troglodytes aedon musculus</i>	7	LC
489	Mountain Wren	<i>Troglodytes solstitialis</i>	1	2
490	Sedge (Grass) Wren	<i>Cistothorus platensis</i>	1	2
491	Grey-breasted Wood-wren	<i>Henicorhina leucophrys</i>	1 + 2h	1
492	Scaly-breasted Wren	<i>Microcerculus marginatus</i>	1 + 1h	1
493	Chestnut-breasted Wren	<i>Cyphorhinus thoracicus</i>	1	1
494	Long-tailed Mockingbird	<i>Mimus longicaudatus</i>	2	3
495	Andean Solitaire	<i>Myadestes ralioides</i>	1 + 1h	1
496	White-eared Solitaire	<i>Entomodestes leucotis</i>	2 + 1h	1
497	Chiguanco Thrush	<i>Turdus chiguanco</i>	5	LC
498	Great Thrush	<i>Turdus fuscater</i>	2	4
499	Glossy-black Thrush	<i>Turdus serranus</i>	1	2
500	Black-billed Thrush	<i>Turdus ignobilis</i>	5	N/C
501	Hauxwell's Thrush	<i>Turdus hauxwelli</i>	2	3
502	White-necked Thrush	<i>Turdus albicollis</i>	2	2
503	Green Jay	<i>Cyanocorax yncas</i>	1 + 1h	2
504	Purplish Jay	<i>Cyanocorax cyanomelas</i>	5	N/C
505	Violaceous Jay	<i>Cyanocorax violaceus</i>	5	N/C
	White-collared Jay	<i>Cyanolyca viridicyana</i>	H ONLY	
506	House Sparrow	<i>Passer domesticus</i>	2	N/C
507	Brown-capped Vireo	<i>Vireo leucophrys</i>	3	4
508	Red-eyed (Chibi) Vireo	<i>Vireo olivaceus</i>	7	LC
509	Dusky-capped Greenlet	<i>Hylophilus hypoxanthus</i>	2 + 1h	7
510	Tawny-crowned Greenlet	<i>Hylophilus ochraceiceps</i>	1	1
511	Hooded Siskin	<i>Carduelis magellanica</i>	4	N/C
512	Olivaceous Siskin	<i>Carduelis olivacea</i>	4	N/C

513	Tropical Parula	<i>Parula pitaiayumi</i>	3	2
514	Slate-throated Redstart	<i>Myioborus miniatus</i>	4	5
515	Spectacled Redstart	<i>Myioborus melanocephalus</i>	1	2
516	Two-banded Warbler	<i>Basileuterus bivittatus</i>	2	2
517	Golden-bellied Warbler	<i>Basileuterus chrysogaster</i>	1	1
518	Pale-legged Warbler	<i>Basileuterus signatus</i>	1	2
519	Citrine Warbler	<i>Basileuterus luteoviridis</i>	1	4
520	Russet-crowned Warbler	<i>Basileuterus coronatus</i>	1	3
521	Three-striped Warbler	<i>Basileuterus tristriatus</i>	2	4
522	Buff-rumped Warbler	<i>Basileuterus fulvicauda</i>	2	4
523	Bananaquit	<i>Coereba flaveola</i>	1	1
524	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>	3	3
525	Cinereous Conebill	<i>Conirostrum cinereum</i>	5	6+
526	Blue-backed Conebill	<i>Conirostrum sitticolor</i>	1	1
527	Capped Conebill	<i>Conirostrum albifrons</i>	1	2
528	Magpie Tanager	<i>Cissopis leveriana</i>	5	2
529	Grass-green Tanager	<i>Chlorornis riefferii</i>	1	1
530	Common Bush-tanager	<i>Chlorospingus ophthalmicus</i>	1	2
531	Yellow-whiskered Bush-tanager	<i>Chlorospingus parvirostris</i>	1	N/C
532	Yellow-throated Bush-tanager	<i>Chlorospingus flavigularis</i>	3	N/C
533	Black-capped Hemispingus	<i>Hemispingus atropileus</i>	1	1
534	Parodi's Hemispingus	<i>Hemispingus parodii</i>	1	2
535	Superciliaried Hemispingus	<i>Hemispingus superciliaris</i>	1	5
536	Oleaginous Hemispingus	<i>Hemispingus frontalis</i>	3	N/C
537	Black-eared Hemispingus	<i>Hemispingus melanotis</i>	2	2
538	Drab Hemispingus	<i>Hemispingus xanthophthalmus</i>	1	3
539	Three-striped Hemispingus	<i>Hemispingus trifasciatus</i>	1	2
540	Rust-and-yellow Tanager	<i>Thlypopsis ruficeps</i>	4	3
541	White-winged Shrike-tanager	<i>Lanio versicolor</i>	3	4
542	Slaty Tanager	<i>Creurgops dentata</i>	2	2
543	Yellow-crested Tanager	<i>Tachyphonus rufiventer</i>	3	1
544	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	2	N/C
545	Red-crowned Ant-tanager	<i>Habia rubica</i>	2	7
546	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>	5	LC
547	Silver-beaked Tanager	<i>Ramphocelus carbo</i>	12	C
548	Blue-grey Tanager	<i>Thraupis episcopus</i>	9	C
549	Blue-capped Tanager	<i>Thraupis cyanocephala</i>	1	1
550	Blue-and-yellow Tanager	<i>Thraupis bonariensis</i>	4	N/C
551	Palm Tanager	<i>Thraupis palmarum</i>	4	2
552	Hooded Mountain-tanager	<i>Buthraupis montana</i>	2	4
553	Scarlet-bellied Mountain-tanager	<i>Anisognathus igniventris</i>	3	7+
554	Blue-winged Mountain-tanager	<i>Anisognathus somptuosus</i>	1	2
555	Yellow-throated Tanager	<i>Iridosornis analis</i>	3	N/C
556	Golden-collared Tanager	<i>Iridosornis jelskii</i>	1	1
557	Chestnut-bellied Mountain Tanager	<i>Delothraupis castaneiventris</i>	1	1
558	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>	3	N/C
559	Bronze-green Euphonia	<i>Euphonia mesochrysa</i>	1	2
560	White-lored Euphonia	<i>Euphonia chrysopasta</i>	5	4
561	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	7	LC

562	Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>	2	N/C
563	Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>	3	2
564	Turquoise Tanager	<i>Tangara mexicana</i>	4	N/C
565	Paradise Tanager	<i>Tangara chilensis</i>	5	12+
566	Green-and-gold Tanager	<i>Tangara schrankii</i>	5	4
567	Golden Tanager	<i>Tangara arthus</i>	3	10+
568	Golden-eared Tanager	<i>Tangara chrysotis</i>	1	3
569	Saffron-crowned Tanager	<i>Tangara xanthocephala</i>	3	N/C
570	Yellow-bellied Tanager	<i>Tangara xanthogastra</i>	2	5
571	Spotted Tanager	<i>Tangara punctata</i>	3	2
572	Bay-headed Tanager	<i>Tangara gyrola</i>	2	2
573	Golden-naped Tanager	<i>Tangara ruficervix</i>	2	3
574	Blue-necked Tanager	<i>Tangara cyanicollis</i>	8	LC
575	Beryl-spangled Tanager	<i>Tangara nigroviridis</i>	3	6
576	Silver-backed Tanager	<i>Tangara viridicollis</i>	2	5
577	Opal-rumped Tanager	<i>Tangara velia</i>	1	1
578	Opal-crowned Tanager	<i>Tangara callophrys</i>	1	1
579	Golden-collared Honeycreeper	<i>Iridophanes pulcherrima</i>	1	1
580	Black-faced Dacnis	<i>Dacnis lineata</i>	1	2
581	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>	4	N/C
582	Blue Dacnis	<i>Dacnis cayana</i>	7	N/C
583	Green Honeycreeper	<i>Chlorophanes spiza</i>	5	N/C
584	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	2	2
585	Plush-capped Finch	<i>Catamblyrhynchus diadema</i>	1	1
586	Peruvian Sierra-finch	<i>Phrygilus atriceps punensis</i>	1	4
587	Mourning Sierra-finch	<i>Phrygilus fruticeti</i>	1	2
588	Plumbeous Sierra-finch	<i>Phrygilus unicolor</i>	1	4
589	Ash-breasted Sierra-finch	<i>Phrygilus plebejus</i>	2	8+
590	White-winged Diuca-finch	<i>Diuca speculifera</i>	1	3
591	Chestnut-breasted Mountain-finch	<i>Poospiza caesar</i>	1	3
592	Collared Warbling-finch	<i>Poospiza hispaniolensis</i>	2	20+
593	Blue-black Grassquit	<i>Volatinia jacarina</i>	3	4
594	Black-and-white Seedeater	<i>Sporophila luctuosa</i>	1	2
595	Parrot-billed Seedeater	<i>Sporophila peruviana</i>	2	6+
596	Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>	2	2
597	Chestnut-throated Seedeater	<i>Sporophila telasco</i>	1	1
598	Chestnut-bellied Seed-Finch	<i>Oryzoborus angolensis</i>	1	N/C
599	Band-tailed Seedeater	<i>Catamenia analis</i>	5	N/C
600	Drab Seedeater	<i>Sporophila simplex</i>	1	1
601	Rusty Flowerpiercer	<i>Diglossa sittoides</i>	2	2
602	Black-throated Flowerpiercer	<i>Diglossa brunneiventris</i>	3	2
603	Masked Flowerpiercer	<i>Diglossopsis cyanea</i>	2	3
604	Moustached Flowerpiercer	<i>Diglossa mystacalis</i>	1	2
605	Grassland Yellow-finch	<i>Sicalis luteola</i>	2	N/C
606	Bright-rumped Yellow-finch	<i>Sicalis uropygialis</i>	1	10+
607	Greenish Yellow-finch	<i>Sicalis olivascens</i>	2	N/C
608	Red-capped Cardinal	<i>Paroaria gularis</i>	6	N/C
609	Cusco Brush-finch	<i>Atlapetes canigenis</i>	1	3

610	Dark-faced Brush-finch	<i>Atlapetes melanolaemus</i>	2	N/C
611	Chestnut-capped Brush-finch	<i>Buarremon brunneinucha</i>	1	3
612	Pectoral Sparrow	<i>Arremon taciturnus</i>	2	N/C
613	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	4	N/C
614	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	7	LC
615	Streaked Saltator	<i>Saltator striatipectus</i>	1	2
616	Greyish Saltator	<i>Saltator coerulescens</i>	1	2
617	Buff-throated Saltator	<i>Saltator maximus</i>	8	5
	Slate-coloured Grosbeak	<i>Saltator grossus</i>	H ONLY	
618	Golden-billed Saltator	<i>Saltator aurantirostris</i> 3	3	4
619	Black-backed Grosbeak	<i>Pheucticus aureoventris</i>	2	2
620	Yellow-winged Blackbird	<i>Agelaius thilius</i>	2	N/C
621	Yellow-hooded Blackbird	<i>Agelaius icterocephalus</i>	1	N/C
622	Peruvian Meadowlark	<i>Sturnella militaris bellicosa</i>	2	6
623	Scrub Blackbird	<i>Dives dives warszewiczi</i>	1	N/C
624	Shiny Cowbird	<i>Molothrus bonariensis</i>	1	N/C
625	Giant Cowbird	<i>Molothrus oryzivorus</i>	5	LC
626	Epaulet Oriole	<i>Icterus cayanensis</i>	1	2
627	Troupial (Campo Oriole)	<i>Icterus icterus</i>	1	1
628	Yellow-rumped Cacique	<i>Cacicus cela</i>	9	C
629	Mountain Cacique	<i>Cacicus chrysnotus</i>	1	2
630	Solitary Cacique	<i>Cacicus solitarius</i>	2	N/C
631	Casqued Oropendola	<i>Psarocolius oseryi</i>	4	N/C
632	Crested Oropendola	<i>Psarocolius decumanus</i>	6	N/C
633	Dusky-green Oropendola	<i>Psarocolius atrovirens</i>	2	5
634	Russet-backed Oropendola	<i>Psarocolius alfredi</i>	10	C
635	Amazonian Oropendola	<i>Gymnostinops bifasciatus</i>	6	4

Mammals on next page -

MAMMALS

These are presented in taxonomic order with details of the dates seen.

Information and taxonomy, in part, are derived from Neotropical Rainforest Mammals, by L.H. Emmons (1997) and The Encyclopedia of Mammals ed D. Macdonald (1984), plus a few internet sites. Mammal taxonomy, like that of birds, is complex and volatile!

Order: CHIROPTERA

Bats

Many bats were seen, both in flight and at roost (on one occasion). Although it is tempting to say that the larger bats were 'fruit bats', most likely of the genus *Artibeus* (Large Fruit-eating Bats), no firm identifications were made. This is unfortunate considering there are more species of bat than any other mammal in the Neotropical rainforests. However, this is not surprising considering how difficult they are to study!

Order: PRIMATES

Primates

Sub-Order: Anthroidea

Monkeys and Apes (Higher Primates)

FAMILY: Callitrichidae

Marmosets and Tamarins

All found in the Neotropics.

Saddle-back Tamarin

Saguinus fuscicollis

Highly variable with 10-15 (or so) sub-species recognised, depending on authority.

Seen by most of the group on the morning of 12 August at the Manu, just after the Squirrel Monkey.

Emperor Tamarin

Saguinus imperator

Two sub-species recognised by some authorities.

Both of the above species, which are diurnal and squirrel sized, live in the same areas at the same time. In fact, research suggests they co-operate and defend a common 'co-territory' within the context of their family groups of 2-20. This mutuality is believed to be based upon optimal foraging for fruit, although the Saddle-back takes a higher proportion of insects.

This beautiful mammal was seen by half of the group of 14 August at the Manu. Very good views were had by those concerned.

FAMILY: Cebidae

Capuchin-like Monkeys

All found in the Neotropics.

Night Monkey (Owl M) *Aotus* spp.

Either *A. nigreps*, Black-headed Night Monkey (probably) or (possibly(?)) *A. azarae*, Azarara's Night Monkey.

'The' Night Monkey, ie the 'type' species (?), *A. trivirgatus*, is found north of the Amazon.

The recognition of species, sub-species and races, varies considerably between authorities, with between 5-10 species recognised.

The only truly nocturnal monkey. However, unlike many nocturnes, it has colour vision and, in some parts of its range, is more diurnal. Both hinting at a relatively recent evolutionary transition.

Two animals seen on 8 August from an Amazonia trail. An attractive animal.

Dusky titi Monkey (Red t M)

Callicebus moloch

Again, taxonomy is complex, with authorities debating both sub-species and full species status for some variants.

Diurnal and arboreal, found in dense vegetation, especially near water. They are the only largely folivorous small monkeys and like bamboo.

A good monkey to see. Two were seen by some at the airstrip (along with the Squirrel Monkeys) on 15 August.

Both species were near the waterside in large secondary grasses, palms and scrub.

Squirrel Monkey (Common S M)

Saimiri sciureus

Again, taxonomy is complex.

Noisy, diurnal and arboreal. Can be found in very large groups (up to 100 in some cases) as they seek out small ripe fruits and invertebrates, especially in waterside areas with secondary and disturbed stands of vegetation.

Seen by various members of the group on 8 and 10 August (Amazonia) and 12(*) and 15(*) August (Manu). (* same site / time as Saddle-back Tamarin and White-fronted Capuchin, at the time of the Spectacled Owl, which was seen by some) (** same site (airstrip) / time as Dusky Titi Monkey)

Brown Capuchin (B C Monkey)

Cebus apella

Noisy, diurnal and arboreal (favouring middle to lower levels). Usually in groups of around 10 as they search for fruits, buds and any small animal (including vertebrates) that they can tackle. Fond of palms, they are the most

commonly seen monkeys in Amazonia. Found in all forest types, they often forage with squirrel monkeys and other capuchin species.

Several seen on 5 August by most of the group in one of the trails around Cock-of-the-Rock Lodge.

White-fronted Capuchin (W-f C Monkey) *Cebus albifrons*

Diurnal and arboreal, using all levels, including the ground, and in a wide range of habitats. A catholic feeder, although less destructive and noisy than the larger Brown C.

Seen by most of the group on the morning of 12 August at the Manu, in the same area and at the same time as the Saddleback Tamarin, thus demonstrating that these mammals, just like mixed bird flocks, can achieve some ecological separation within the same area.

Red Howler Monkey *Alouatta seniculus*

Unmistakable, the only monkey, of its type, within the region of the trip. An arboreal and diurnal leaf and fruit feeder. Exploiting the middle and upper levels, they are slow moving and best seen by riverside trees, which is precisely where we saw them. They can produce extremely loud calls, the clue is in the name! The high percentage of leaves in their diet requires specialist adaptations. They are hind-gut fermentors. They are a successful group of monkeys because of their ability to exploit leaves.

We saw this large primate, in fact a party of five, within a group of large trees by the river's edge whilst on the boat on 12 August on the way to the Giant Otter site.

White-bellied Spider Monkey (Long-haired S M) *Ateles belzebuth*

Spider monkeys are highly variable species. The Black Spider Monkey that we saw was in fact the completely black form of the W-b S M, ie *A. b. chamek*.

'The' Black Spider Monkey, *A. paniscus*, is only found in the Guiana and, in older texts, *A. b. chamek* (ie what we saw in SW Peru) was placed with this species.

They use the upper levels of tall forests to meet the needs of a primarily fruit based diet. They forage in groups or sub-groups (parties) varying in size from 2 to 40 depending on food distribution. It is in the Spider Monkeys, that the use of a prehensile tail is most developed. They can be noisy, both vocally (screams etc) and by their movement.

A nice sighting. Seen on the afternoon of 9 August at Amazonia.

Common Woolly Monkey *Lagothrix lagothoricha*

Apparently preferring tall terra firma forests, they exploit middle and upper level areas for fruit (preferably) and also leaves and invertebrates.

Some sub-species are critically endangered. It is the most intensively hunted monkey (for bush meat) and is locally vulnerable in such areas because of its low reproductive rate.

An attractive, 'well-furred' monkey. Up to three seen on 5 August by some of the group in one of the trails around Cock-of-the-Rock Lodge.

Order: EDENTATA (XENARTHRA) 'Without Teeth'

Whilst some members of this assemblage don't have teeth, some do! Only the anteaters are strictly toothless, the others (sloths, armadillos and pangolins) have simple peg-like teeth.

FAMILY: Myrmecophagidae Anteaters

Southern Tamandua

Tamandua tetradactyla

A fantastic mammal, seen by all! Our individual lacked the black 'vest', often seen in illustrations. As with most mammals, there is variation in pelage colour.

Seen on 12 August as we travelled back to our lodge at the Manu by boat. The individual was swimming across the river. We observed it scramble onto the pebble beach and move towards the cover of vegetation.

Some Birdseekers have seen the Northern Tamandua (*Tamandua mexicana*) on the Costa Rica trip.

Order: LAGOMORPHA

FAMILY: Leporidae

Tapiti (Brazilian Rabbit, Forest R)

Very European Rabbit-like. A common and widespread rabbit that can occur in quite deep forest as well as higher less forested areas.

A surreal encounter with one individual, by torchlight, well after dusk. It behaved in a very Disneyesque way, gently bounding along and across a trail.

Pikas and Rabbits and Hares

Rabbits and Hares

Sylvilagus brasiliensis

Order: RODENTIA**Sub-Order: SCIUROMORPHA****FAMILY: Sciuridae**

Several species (and / or variants) of squirrel were seen. The only one logged, on advice from Ramiro, was the Bolivian Squirrel (B Red Squirrel), *Sciurus ignitus*. This was seen on more than one occasion and on two separate days. This animal is rather small, at least one of the animals was not. It is likely that we also saw the Southern Amazon Red Squirrel, *Sciurus spadiceus*. This is a larger squirrel that is in fact hunted for food. It was noted that the larger squirrel had a whitish belly. Both species can have light underparts. It is likely that we saw both of these species, in addition to glimpses of other species that were not classified.

Seen on 11 and 12 August at Amazonia and Manu respectively, with the larger squirrel being seen on 11. The individual that Ramiro described as the B R Squirrel was seen on the 12. This was just before we boarded the boat back to camp, at noteworthy boat-trip. On that particular journey, we saw the Tamandua.

Sub-Order: MYOMORPHA**FAMILY: Muridae**

Several 'rats and mice' were seen scurrying at a variety of locations. No attempt (although see exception below) was made at classification and the animals may not have been part of this large family of rodents.

Both Kevin Bryan and Nick Bray had a very close encounter with a species of rat of unknown taxonomic affinities.

Sub-Order: CAVIOMORPHA**FAMILY: Dasyproctidae**

Although we saw 'black Agouti', the animals were actually black/blackish forms of the Brown Agouti (*Dasyprocta variegata*), rather than 'the' Black Agouti (*Dasyprocta fuliginosa*), which is found in Northern Peru.

There is actually a family called the Agoutidae. This includes the genus *Agouti* (eg *Agouti paca*, the Paca), but does not include the Agouti in everyday, ie common name, parlance!

A single individual seen on four occasions as follows: 5 and 6 August from one of the trails around Cock-of-the-Rock Lodge, 8 August at Amazonia and on 14 August at Manu. Like most mammals of this type, they do a good line in running away! They are hunted for food in many areas.

FAMILY: Echimyidae**Spiny Rats**

This group incorporates a range of genera that include types that are not particularly cavy-like, ie looking more like 'typical' rats and mice, and do not have spines!

Amazon Bamboo Rat

Dactylomys dactylinus

A large arboreal and largely nocturnal rodent that feeds in bamboo. Our animal appeared practically green in colour and demonstrated its ability to climb and scramble very rapidly as we converged for a closer look. A soft-furred 'tree-rat' animal with no spines! Not to be confused with old-world Bamboo Rats.

Seen, by most of the group, in roadside scrub, including bamboo, during a stop on our journey from Cock-of-the-Rock Lodge to Amazonia on 7 August.

FAMILY: Chinchillidae**Chinchillas and Viscachas**

Mountain Viscacha

Lagidium sp.

There are three species in this genus, two found in Peru. It is unclear which species we saw. Either 'the' Mountain Viscacha, *L. peruanum*, found only in Peru, or the more widespread *L. viscacia*.

Seen on 16 August in the High Andes by some of the group. There were about ten individuals who, as an anti-predator reaction(?), darted repeatedly between different fissures in the rocks, making it difficult to focus on any one animal.

Order: CETACEA**FAMILY: DELPHINIDAE**

Bottle-nosed Dolphin

Whales and Dolphins**Dolphins**

Tursiops truncatus

Several animals showed on the boat crossing to Ballesta Island on 2 August. Always good to see!

A widespread and familiar species with several sub-species and races recognised.

Order: CARNIVORA**FAMILY: Mustelidae****Sub-Family: Mustelinae**

Tayra

Carnivores**Weasels****Weasels and allies**

Eira barbara

This, the largest terrestrial Mustelid of the region, shows affinities with the Martens of the Old World and North America.

Our individual(?) was fairly uniformly dark, this is a less common variant of the species, which usually sports a lighter head, throat and, in part, upper belly. Usually solitary, or in pairs, they are both terrestrial and arboreal and, typically, wary. In our case, it would appear that it had become habituated to a degree of human presence as it attempted to raid and scavenge around the birdfeeders.

Seen on 5 August by most of the group from the dinning area of Cock-of-the-Rock Lodge, during and after lunch. An unexpected delight that caused a flurry of activity, never be without your bins!

Sub-Family: Lutrinae
Neotropical River Otter

Otters
Lutra longicaudis

Favouring clear faster flowing waters (cf the Giant Otter below), individuals of this rarely seen species are usually seen alone.

Seen by one member of the group, in the water near the bank, on our long river journey from Amazonia to Manu. An enviable sighting!

Giant Otter (Brazilian O)

Pteronura brasiliensis

This endangered species is often reaches (and exceeds) 1.8m in length, including the dorso-ventrally flattened tail (in other otters the tail is more rounded), which facilitates its very aquatic life. It is social and inquisitive.

This utterly delightful animal was seen by all members of the group on 12 August at the ox-bow lake Cocha Blanco. An extended family of five approached our 'boat' as we moved into the area where they were first spotted. A range of behaviours, including feeding, was observed as they circled our vessel to within approximately five metres. Numerous vocalisations were heard as they displayed their curiosity. At times the animals looked almost Tolkienesque. They are rare and it was good to see their 'value' appreciated by their guardian boatman who, undoubtedly, was as moved by them as we were.

Order: PINNEPEDIA

Seals and Sea Lions

FAMILY: Otariidae

Eared Seals

Species in this family have hind-limbs that can be articulated in front of their body so that they can 'walk', unlike the True or Hair Seals (Family: Phocidae), which have their hind-limbs pointing backwards for better performance in water, but less so on land.

The common name suffix is not necessarily a clue to family, as species with the suffix 'seal' occur in both families.

South American Sea Lion (Southern S L) *Otaria avescens*

Like most other Eared Seals, this species displays large sexual dimorphism in terms of size and pelage. Large numbers seen on, and in the waters around, Ballestas Island on 2 August.

Order: PERISSODACTYLA

Odd-toed Ungulates

FAMILY: Tapiridae

Tapir

Brazilian Tapir

Tapirus terrestris

Tapirs are the largest terrestrial animal in the Neotropics and the only native extant New World odd-toed ungulates. Of the worlds four species of Tapir, three are Neotropical, the other being the Malayan Tapir (Malaysian T). The Brazilian T is the most widespread in the Neotropics.

This, mostly nocturnal, herbivore feeds on wet area browse, grass and fruits.

Although large and wide ranging, they are hard to see. They are hunted for food and endangered, particularly through habitat loss.

Two individuals were seen (an adult female and a juvenile (although sufficiently advanced to have no stripes)) at 21:40 on 13 August at the Tapir Lick, Manu. Spectacular.

Order: ARTIODACTYLA

Even-toed Ungulates

FAMILY: Tayassuidae

Pecarries

Both the Collard Peccary (*Tayassu tajacu*) and the larger (and more gregarious) White-lipped Peccary (*T. peccari*) occurred in the areas covered by the trip. C Ps are the more numerous and more commonly seen peccaries in Amazonia overall. However, W-l Ps are typically noisier when foraging and it was these that we believe were heard.

FAMILY: Camelidae**Camels and Llamas**

There are four camelids in South America; Llama, Alpaca, Guanaco and Vicuna, all found in Peru, the first two having been domesticated. We saw both Llama and Alpaca at several locations in the Andes. None were wild, however, they were good to see in appropriate habitat.

FAMILY: Cervidae**Deer**

Red Brocket (R B Deer)

Mazama gouazoubria

A solitary species of both diurnal and nocturnal habits. Found in a variety of habitats, including forest edges and gardens, anywhere where the under-story is dense or dense nearby.

Seen on two occasions. Firstly, and very fleetingly, by about half the group on 8 August from a trail in Amazonia. Secondly on 13 August at the 'Tapir Lick' (Manu) where about a third of the group had very good, light assisted, nocturnal views.

I would like to thank Kevin Bryan who has supplied the above detailed list on the other animals we saw. A great deal of effort and time has been taken to compile the above, and it greatly enhances this report.

Please note that our checklists do not include species seen by leaders only.

We also do not include single observer sightings or very poor views.

We do not count heard only or subspecies, although they are noted.

This we believe gives us a very honest accurate group total.

With this in mind we welcome you to compare our lists with other companies, check out our high standards and above all our prices which offer the very best value for money.

Check out our gallery for photos from this and other tours

Phone: 01752 342001

e-mail: Bird@birdseekers.freemove.co.uk.

Fax: 01752 342001

www.birdseekers.co.uk

ATOL No. 6156

