

## ECUADOR – EASTERN SLOPE TRIP LIST (January 27 – February 3, 2007)

This list shows birds noted by me on my birding trip to Eastern Ecuador on January 27 through February 3, 2007. Dates and habitat descriptions for specific locations are noted under the abbreviation key. An “X” in a column means that more than a few birds were seen in that location. Numbers refer to the number of individuals I noted for that location. An “H” means the bird was heard only. A double asterisk (\*\*) means someone in the group noted the bird, but not me.

### Trip statistics:

- total species seen or heard by group – 438
- species seen or heard by Francis Toldi – 404
- Toldi species heard only – 27

With some trepidation, the list basically follows Clements Fifth Edition, modified in a few cases. At some point after the preparation of this list the Clements Sixth Edition will be published, which will probably change significantly the sequence and species determinations used here. Rather than wait for that (now very uncertain) publication, I decided to publish this list now. All species are monotypic or nominate unless indicated otherwise (in “Latin Name”).

Race/subspecies information is from Ridgely and Greenfield, *The Birds of Ecuador: Status, Distribution and Taxonomy*. See also AOU South American Classification Committee Report, *A Classification of the Bird Species of South America*, <http://aou.org/checklist/south.php3>. Brief taxonomic notes for some species are in smaller font in brackets in the Comments field, but I didn’t puzzle out confusing taxonomy for birds not seen by me.

Guide: Jose Illanes (Tropical Birding). Group Participants: David Armstrong, Roy Carlson, Gary Deghi, Francis Toldi, Allan Wofchuck.

### Abbreviations Key:

PL# = Plate Number in Field Guide to the Birds of Ecuador

- AN = Antisana Natural Area and vicinity; Elfin woods 3500-3900m, paramo/grassland 4000-4500m (Jan. 27, 2007)  
 PA = Papallacta Pass and vicinity; paramo at and below radio towers 4000-4200m, Elfin woods on private IMAAP Road (day fee required) above the Termas de Papallacta 3500m, polylepis forest above and below Papallacta lake and town 3000-35000m (Jan. 28, 2007)  
 GU = Guango Lodge and immediate vicinity; temperate montane forest 2700m (Jan. 27 and 28, 2007)  
 SI = San Isidro Lodge and vicinity; Subtropical (cloud) forest 1900-2200m (Jan. 29-30, 2007)  
 GR = Guacamoyos Ridge; Subtropical montane forest 2200-2600m (Jan. 30, 2007)  
 LO = Upper Loreto Road; foothill forest 800-1200m (Jan. 31, 2007)  
 GAR = Garenno Lodge; lowland terra firme forest 400-800m; other lowlands; mostly roadside slash/agricultural 600-1000m (Jan. 31-Feb. 3, 2007)

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
TINAMOUS										
Cinereous Tinamou	<i>Crypturellus cinereus</i>	1							H2	
Little Tinamou	<i>Crypturellus soui nigriceps</i>	1						H	H	
Variegated Tinamou	<i>Crypturellus variegates</i>	1							H1	
GREBES										
Silvery Grebe	<i>Podiceps occipitalis</i>	8	2							Shy and hard to locate

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
HERONS, EGRETS AND BITTERNS										
Snowy Egret	<i>Egretta thula</i>	6							**	
Striated Heron	<i>Butorides striata</i>	6							1	
Fasciated Tiger-Heron	<i>Tigrisoma fasciatum salmoni</i>	7						1		On river below first major bridge over Hollin River
IBIS AND SPOONBILLS										
Andean (Black-faced) Ibis	<i>Theristicus (melanopsis) branickii</i>	5	30							[Clements considers Andean ( <i>T. branickii</i> ) a good species; Ridgely agrees that Black-faced ( <i>T. melanopsis</i> ) is a species distinct from Buff-necked ( <i>T. caudatus</i> ), but leaves <i>branickii</i> as a subspecies; AOU authorities divided]
DUCKS, GEESE AND SWANS										
Torrent Duck	<i>Merganetta armata colombiana</i>	8			2					From roadside, just above Baeza; female and juvie male
Speckled (Andean) Teal	<i>Anas flavirostris andium</i>	8	X							[Clements doesn't recognize split; Ridgely and AOU authorities say yes]
Yellow-billed Pintail	<i>Anas georgica</i>	8	X							
Blue-winged Teal	<i>Anas discors</i>	8	X							
Andean (Ruddy) Duck	<i>Oxyura (jamaicensis) ferruginea</i>	8	2							[Clements, Ridgely recognize split; AOU authorities divided]
NEW WORLD VULTURES										
Black Vulture	<i>Coragyps atratus</i>	9	X					X	X	
Turkey Vulture	<i>Cathartes aura ruficollis</i>	9	X					X	X	
Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	9							2	Along road not far from Jatun Sacha
Andean Condor	<i>Vultur gryphus</i>	9	2							Both juveniles
King Vulture	<i>Sarcoramphus papa</i>	9							1	Overhead, seen from forest clearing
HAWKS, EAGLES AND KITES										
Gray-headed Kite	<i>Leptodon cayanensis</i>	11							1	
Swallow-tailed Kite	<i>Elanoides forficatus yetapa</i>	10						5	1	
Plain-breasted (Sharp-shinned) Hawk	<i>Accipiter (striatus) ventralis</i>	15						1		[Clements, Ridgely and most AOU authorities favorsplit]
Barred Hawk	<i>Leucopternis princes</i>	12				1				
White Hawk	<i>Leucopternis albigollis</i>	12							2	
Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus australis</i>	14	1	2						
Roadside Hawk	<i>Buteo magnirostris</i>	13				3	1	2	2	
Broad-winged Hawk	<i>Buteo platypterus</i>	13				1		2		
Variable (Red-backed) Hawk	<i>Buteo p. polyosoma</i>	12	2							Puna ( <i>B. poecilochrous</i> ) and Red-backed ( <i>B. polyosoma</i> ) status unclear—Clements recognizes both as species; Ridgely says one species; AOU implies one species is correct, but still lists two!
Variable (Puna) Hawk	<i>Buteo polyosoma (poecilochrous)</i>	12	1	1						
Harpy Eagle	<i>Harpia harpyja</i>	14							1	13 month juvenile at nest site (stakeout)
Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>	14							1	Adult at nest site (stakeout)
FALCONS AND CARACARAS										
Black Caracara	<i>Daptrius ater</i>	16							3	
Carunculated Caracara	<i>Phalcoboenus carunculatus</i>	16	70							

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
American Kestrel	<i>Falco sparverius aequatorialis</i>	17	2							
Aplomado Falcon	<i>Falco femoralis pichincae</i>	17	3							
GUANS, CHACHALACAS, CURASSOWS										
Speckled Chachalaca	<i>Ortalis guttata</i>	18							**	
Wattled Guan	<i>Aburria aburri</i>	18				H				
Sickle-winged Guan	<i>Chamaepetes goudotii</i>	18				**H				
RAILS, GALLINULES AND COOTS										
Chestnut-headed Crake	<i>Anurolimnas castaneiceps</i>	20						**H		
Slate-colored (Andean) Coot	<i>Fulica ardesiaca atrura</i>	21	X							[Clements uses "Slate-colored" (name issue, not a split)]
PLOVERS AND LAPWINGS										
Southern Lapwing	<i>Vanellus chilensis cayennensis</i>	22				3				
Andean Lapwing	<i>Vanellus resplendens</i>	22	5							
SANDPIPERS										
Greater Yellowlegs	<i>Tringa melanoleuca</i>	24	2							
Lesser Yellowlegs	<i>Tringa flavipes</i>	24	1							
Spotted Sandpiper	<i>Actitis macularia</i>	24				3				San Isidro vicinity (Cosanga River ?)
SEEDSNIPES										
Rufous-bellied Seedsnipe	<i>Attagis gayi latreillii</i>	19		2						Just below radio towers
GULLS										
Andean Gull	<i>Larus serranus</i>	26	X	3						Easier at Antisana
PIGEONS AND DOVES										
Rock Pigeon	<i>Columba livia</i>	--	X						X	Also various roadside, e.g. Baeza, Tena
Scaled Pigeon	<i>Patagioenas speciosa</i>	28						**		
Band-tailed Pigeon	<i>Patagioenas fasciata albilinea</i>	28	X	**	X	X	X			
Plumbeous Pigeon	<i>Patagioenas plumbea bogotensis</i>	28							H	
Ruddy Pigeon	<i>Patagioenas subvinacea ogilviegranti</i>	28						H	H	
Eared Dove	<i>Zenaida auriculata hypoleuca</i>	29	X							
Ruddy Ground-Dove	<i>Columbina talpacoti</i>	29							X	Roadside near Tena
Black-winged Ground-Dove	<i>Metriopelia melanoptera saturatio</i>	29	X							Common and conspicuous
White-throated Quail-Dove	<i>Geotrygon frenata</i>	28				H		H		
Ruddy Quail-Dove	<i>Geotrygon Montana</i>	28							1+H	Heard various times; glimpsed once
PARROTS										
Chestnut-fronted Macaw	<i>Ara sever castaneifrons</i>	30						6		3 groups of 2 flyovers, fairly low
Red-bellied Macaw	<i>Orthopsittaca manilata</i>	30						4		Flyovers, high above
White-eyed Parakeet	<i>Aratinga leucophthalmus callogenyis</i>	32							8	Flyovers, low over canopy
Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>	31							X	Frequently seen flyovers; one group finally perched along road
Cobalt-winged Parakeet	<i>Brotogeris cyanoptera</i>	31							X	Frequently seen flyovers
Black-headed Parrot	<i>Pionites melanocephala pallida</i>	31							X	Occasional flyovers; one group landed nearby
Red-billed Parrot	<i>Pionus sordidus corallinus</i>	32					5			flyovers
Speckle-faced (White-capped) Parrot	<i>Pionus tumultuosus seniloides</i>	32			2	7+				Flyovers [Clements, AOU don't recognize White-capped ( <i>P. seniloides</i> ) split; Ridgely does]
Scaly-naped Parrot	<i>Amazona mercenaria canipalliata</i>	32					1			flyover

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
CUCKOOS										
Squirrel Cuckoo	<i>Piaya cayana mesura</i>	33						X	X	
Black-bellied Cuckoo	<i>Piaya melanogaster</i>	33							1	
Smooth-billed Ani	<i>Crotophaga ani</i>	33						X		Roadside, enroute
OWLS										
Tropical Screech-Owl	<i>Megascops choliba crucigerus</i>	35							H	Heard nightly near cabins
Rufescent Screech-Owl	<i>Megascops ingens</i>	35				**H				
"San Isidro" Owl	<i>Ciccaba sp.</i>	--				H				Heard nightly near cabins; never seen [species status should be determined soon (DNA samples taken in late Jan 2007)]
Rufous-banded Owl	<i>Ciccaba albitarsus</i>	36				H				Heard one morning from cabins
Crested Owl	<i>Lophotrix cristata</i>	36							2+H	2 stakeouts on day roost; others heard
Spectacled Owl	<i>Pulsatrix perspicillata</i>	36							H	Heard early one morning near cabins
Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	35							H	Heard nightly near cabins
POTOOS										
Great Potoo	<i>Nyctibius grandis</i>	37							1	Stakeout on day roost
Rufous Potoo	<i>Nyctibius bracteatus</i>	37							1	Stakeout on day roost
NIGHTJARS										
Pauraque	<i>Nyctidromus albicollis</i>	39							X	Many seen on road to Gareno at dusk; none around the cabins
SWIFTS										
Chestnut-collared Swift	<i>Streptoprocne rutila brunnitorques</i>	40				X		X		
White-collared Swift	<i>Streptoprocne zonaris subtropicalis</i>	40				X	X	X	X	Based on elevations where seen, all seen were probably of the "lowland" subspecies
Gray-rumped Swift	<i>Chaetura cinereiventris sclateri</i>	40				X		X	X	
Short-tailed Swift	<i>Chaetura brachyuran</i>	40							X	
Fork-tailed (Neotropical) Palm-Swift	<i>Tachornis squamata semota</i>	40							X	Many in large palm grove along Gareno accesss road near Jatun Sacha [Clements' non-use of "Neotropical" is naming, not split, issue]
HUMMINGBIRDS										
Green Hermit	<i>Phaethornis guy apicalis</i>	41						3		
Great-billed Hermit	<i>Phaethornis malaris moorei</i>	41							1	In forest, but reportedly also comes to lodge feeders
Tawny-bellied Hermit	<i>Phaethornis syrmatorophorus columbianus</i>	41				1				
Straight-billed Hermit	<i>Phaethornis bourcierii</i>	41							1	In forest, but reportedly also comes to lodge feeders
Gray-chinned Hermit	<i>Phaethornis griseogularis</i>	41						2		
Blue-fronted Lancebill	<i>Doryfera johannae</i>	41						1		
Green Violet-ear	<i>Colibri thalassinus cyanotus</i>	43			1	**				
Sparkling Violet-ear	<i>Colibri coruscans</i>	43	10			X		X		
Wire-crested Thorntail	<i>Popelairia popelairii</i>	42						**		
Fork-tailed Woodnymph	<i>Thalurania furcata viridipectus</i>	44						1		On nest
Golden-tailed Sapphire	<i>Chrysuronia oenone</i>	44						1		
Many-spotted Hummingbird	<i>Leucippus hypostictus</i>	44						3		

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Speckled Hummingbird	<i>Adelomyia melanogenys</i>	41			1	X				At feeders
Fawn-breasted Brilliant	<i>Heliodoxa rubinoides cervinigularis</i>	43				X				At feeders
Black-throated Brilliant	<i>Heliodoxa schreibersii</i>	43							1	
Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>	45			X	X				At feeders
Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	45			X	X				At feeders
Shining Sunbeam	<i>Aglaeactis cupripennis</i>	45	7	5						
Ecuadorian (Chimborazo) Hillstar	<i>Oreotrochilus Chimborazo jamesonii</i>	45	3	1						[Clements use of "Chimborazo" is only a naming issue; no one suggests that <i>O. jamesonii</i> is anything but a subspecies]
Mountain Velvetbreast	<i>Lafresnaya lafresnayi saul</i>	46		1	1					Guango bird at feeder
Bronzy Inca	<i>Coeligena coeligena obscura (z)</i>	45				X				At and around feeders; a bit skittish
Collared Inca	<i>Coeligena torquata</i>	45			X	X				At and away from feeders
Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>	45			X					At feeders
Sword-billed Hummingbird	<i>Ensifera ensifera</i>	45			2					Never "just" a swordbill!
Great Sapphirewing	<i>Pterophanes cyanopterus peeruvianus</i>	45		1						NOT at feeders
Giant Hummingbird	<i>Patagona gigas peruviana</i>	45	1							Only briefly seen
Tourmaline Sunangel	<i>Heliangelus exortis</i>	46			X	X				
Glowing Puffleg	<i>Eriocnemis vestitus smaragdinipectus</i>	46			1					1 at feeder; only came in very late (dusk)
Booted Racket-tail	<i>Ocreatus underwoodii peruanus</i>	42						1		1 of eastern form perched in forest
Black-tailed Trainbearer	<i>Lesbia victoriae</i>	45	X							
Tyrian Metaltail	<i>Metallura tyrianthina</i>	46	X		X					At and away from feeders
Viridian Metaltail	<i>Metallura williami primolinus</i>	46		2						Harder to find than Tyrian
Blue-mantled Thornbill	<i>Chalcostigma stanleyi</i>	46		**						Brief look at a hummingbird-shaped object insufficient to count as a lifer; others in group saw it well enough
Long-tailed Sylph	<i>Aglaiocercus kingi mocoa</i>	45			2	X	X			Guango birds at feeder; very common in forest around San Isidro
Black-eared Fairy	<i>Heliophryx aurita</i>	43							1	1 working around cabins
White-bellied Woodstar	<i>Chaetocercus mulsant</i>	42			X					At feeders
TROGONS AND QUETZALS										
(Amazonian) White-tailed Trogon	<i>Trogon viridis (viridis)</i>	47							X	[Clements does not recognize split of western subspecies; AOU says the split is probably good, but publication of arguments in favor needed]
(Amazonian) Violaceous Trogon	<i>Trogon violaceus (crissalis)</i>	47							1	[Same comment as for White-tailed]
Masked Trogon	<i>Trogon personatus</i>	47				1				
Black-throated Trogon	<i>Trogon rufus sulphureus</i>	47							1	
Black-tailed Trogon	<i>Trogon melanurus eumorphus</i>	47							2	
Crested Quetzal	<i>Pharomachrus antisianus</i>	48				1+				
Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	48				2+				
Pavonine Quetzal	<i>Pharomachrus pavoninus</i>	48							1+H	Heard 5+ in forest

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
KINGFISHERS										
Green Kingfisher	<i>Chloroceryle Americana</i>	49							**	
MOTMOTS										
Blue-crowned Motmot	<i>Momotus momota microstephanus</i>	49							H	
Highland (Blue-crowned) Motmot	<i>Momotus (momota) aequatorialis</i>	49				2+ H	H			[Clements, Ridgely say Highland ( <i>M. aequatorialis</i> ) is good species ; AOU says more publication needed]
Rufous Motmot	<i>Baryphthenus martii</i>	49							1+H	
Broad-billed Motmot	<i>Electron platyrhynchum pyrrholaemum</i>	49							H	
JACAMARS										
Brown Jacamar	<i>Brachygalba lugubris caquetae</i>	50							1	Along road west of Gareno parking area
Coppery-chested Jacamar	<i>Galbula pastazae</i>	50						1		
Great Jacamar	<i>Jacamerops aureus isidori</i>	50							1	From trail only
PUFFBIRDS										
White-chested Puffbird	<i>Malacoptila fusca</i>	51							**	
White-fronted Nunbird	<i>Monasa morphoeus peruana</i>	51							X	
Yellow-billed Nunbird	<i>Monasa flavirostris</i>	51							1	Seen from road
Swallow-wing (Puffbird)	<i>Chelidoptera tenebrosa</i>	51							3	Seen from road, west of Gareno parking area [Clements doesn't include "Puffbird" in name; Ridgely and AOU say no doubt the bird is a puffbird]
BARBETS										
Gilded (Black-spotted) Barbet	<i>Capito (niger) auratus punctatus</i>	50							X	Road and trail [Clements, Ridgely and AOU all agree Gilded ( <i>C. auratus</i> ) is a good species; older authorities say it is joined with Black-spotted ( <i>C. niger</i> ).]
Lemon-throated Barbet	<i>Eubucco richardsoni</i>	50							2	Seen from road
Red-headed Barbet	<i>Eubucco boucierii orientalis</i>	50						3		
TOUCANS										
Andean (Emerald) Toucanet	<i>Aulacorhynchus (prasinus) albivitta</i>	52				4				[Clements, Ridgely say Andean ( <i>A. albivitta</i> ) is full species; AOU makes no determination]
Lettered Aracari	<i>Pteroglossus inscriptus humboldti</i>	52							2	Roadside Tena, Jatun Sacha area
Ivory-billed Aracari	<i>Pteroglossus azara flavirostris</i>	52							1	Along road to Gareno
Many-banded Aracari	<i>Pteroglossus pluricinctus</i>	52						3		At Hollin River bridge
Black-billed Mountain-Toucan	<i>Andigena nigrirostris spilorhynchus</i>	52					1			Heard vocalizing in distance; brief taping brought the bird in close
Golden-collared Toucanet	<i>Selenidera reinwardtii</i>	52							1	In forest near Harpy Eagle nest
White-throated (Cuviers) Toucan	<i>Ramphastos tucanus (cuvieri)</i>	52							**	
WOODPECKERS										
Lafresnaye's Piculet	<i>Picumnus lafresnayi</i>	54						2		
Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	54							X	
Yellow-vented Woodpecker	<i>Veniliornis dignus baezae</i>	54				2				

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Bar-bellied Woodpecker	<i>Veniliornis nigriceps equifasciatus</i>	54		1						
Little Woodpecker	<i>Veniliornis passerinus agilis</i>	54						1		
Crimson-mantled Woodpecker	<i>Piculus rivolii brevirostris</i>	55	1			2	1			
Golden-olive Woodpecker	<i>Piculus rubiginosus buenavistae</i>	53				1		**		
Scaly-breasted Woodpecker	<i>Celeus grammicus verreauxii</i>	53							2	Trail only
Chestnut Woodpecker	<i>Celeus elegans citreopygius</i>	53							1	Seen from road
Cream-colored Woodpecker	<i>Celeus flavus</i>	53							2	Pair at night roost in palm near cabins!
Lineated Woodpecker	<i>Dryocopus lineatus</i>	48						1		
Powerful Woodpecker	<i>Campephilus pollens</i>	48				3				
OVENBIRDS										
Bar-winged Cinclodes	<i>Cinclodes fuscus albidiventris</i>	59	X	X						Less common than Stout-billed
Stout-billed Cinclodes	<i>Cinclodes excelsior</i>	59	X	X						
Andean Tit-Spinetail	<i>Leptasthenura andicola</i>	57		1						
Rufous Spinetail	<i>Synallaxis unirufa</i>	56				1				
Azara's Spinetail	<i>Synallaxis azarae media</i>	56	X		X	X				
White-browed Spinetail	<i>Hellmayrea gularis</i>	56		1						Only seen on IMAAP Road above Termas de Papallacta
White-chinned Thistletail	<i>Schizoeaca fuliginosa</i>	57		3						One on IMAAP Road seemed rather low
Streak-backed Canastero	<i>Asthenes wyatti aequatorialis</i>	57	2							
Many-striped Canastero	<i>Asthenes flammulata</i>	57	1	X						
Pearled Treerunner	<i>Margarornis squamiger perlatus</i>	57		X	X	X	X			
Streaked Xenops	<i>Xenops rutilans heterurus</i>	57						2		
Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii orientalis</i>	59					1			
Striped Treehunter	<i>Thripadectes holostictus</i>	59					**			
Black-billed Treehunter	<i>Thripadectes melanorhynchus</i>	59						**		
Point-tailed Palmcreeper	<i>Berlepschia rikeri</i>	59							1	In large palm grove on Gareno access road, near Jatun Sacha; tape required
Chestnut-winged Hookbill	<i>Ancistrops strigilatus</i>	58							2	
Olive-backed Foliage-gleaner	<i>Automolus infuscatus</i>	58							1	
WOODCREEPERS										
Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa neglecta</i>	55						1	2	
Olivaceous Woodcreeper	<i>Sittasomus griseicapillus amazonus</i>	55						2		
Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus castelnaudii</i>	55							X	
Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>	55							**	
Lafresnaye's (Buff-throated) Woodcreeper	<i>Xiphorhynchus (guttatus) guttatoides</i>	55							3	[Clements recognizes Lafresnaye's ( <i>X.guttatoides</i> ) split; Ridgely doesn't even mention it; other authorities not so sure—AOU discussion too confusing for me to figure out!]
Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>	55				X	X			
Montane Woodcreeper	<i>Lepidocolaptes lacrymiger aequatorialis</i>	55			1	X	X			
Greater Scythebill	<i>Campylorhamphus pucherani</i>	54					1			In flock on trail within 200 meters from trailhead

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
TYPICAL ANTBRDS										
Fasciated Antshrike	<i>Cymbilaimus lineatus intermedius</i>	60							1	Seen from road
Undulated Antshrike	<i>Frederickena unduligera fulva</i>	60							2+H	Forest trails only; 1 taped in for good view
Lined Antshrike	<i>Thamnophilus tenuipunctatus</i>	60						1+ H		Forest trails only
Plain-winged Antshrike	<i>Thamnophilus schistaceus capitalis</i>	60							1	Forest trails only; 1 taped in for good view
Mouse-colored Antshrike	<i>Thamnophilus murinus canipennis</i>	60							1	Forest trails only
Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>	60							1	Forest trails only; 1 taped in for good view
Cinereous Antshrike	<i>Thamnomanes caesius glaucus</i>	60							3	Forest trails only
Moustached (Short-billed) Antwren	<i>Myrmotherula ignota (obscura)</i>	61							1	Forest trails only; seen without tape in small antswarm flock [another confusing taxon—Clements, AOU all consider Short-billed ( <i>M. obscura</i> ) a subspecies of Moustached ( <i>M. ignota</i> ); Ridgely still uses Short-billed, with no mention of Moustached]
Plain-throated Antwren	<i>Myrmotherula hauxwelli</i>	61							1	Forest trails only; 1 taped in for good view
Ornate Antwren	<i>Myrmotherula ornate saturata</i>	61						1		Taped to edge of road for good view
White-flanked Antwren	<i>Myrmotherula xillaries melaena</i>	61							1	Forest trails only
Gray Antwren	<i>Myrmotherula menetriesii pallida</i>	61							1	Forest trails only, [in canopy flock?]
Dugand's Antwren	<i>Herpsilochmus dugandi</i>	61							H1	1 heard well from road, but couldn't be taped into view
Yellow-breasted Antwren	<i>Herpsilochmus xillaries aequatorialis</i>	61						2		Seen in mixed flocks along road
Long-tailed Antbird	<i>Drymophila caudate</i>	62				2				2 separate birds seen in thickets along road without tape
Blackish Antbird	<i>Cercomacra nigrescens</i>	62						**H		Heard by others; not well enough by me to count
Black-faced Antbird	<i>Myrmoborus myotherinus elegans</i>	62							1+H	Forest trails only; 1 taped in for good view; several others heard only
Warbling Antbird	<i>Hypocnemis cantator</i>	62							**H	Guide (heard) only
Yellow-browed Antbird	<i>Hypocnemis hypoxantha</i>	62							3	Forest trails only; the first seen was taped in, but 2 others seen well later without tape
Spot-winged Antbird	<i>Percnostola leucostigma subplumbea</i>	62							1	Forest trails only; taped in for good view
Sooty Antbird	<i>Myrmeciza fortis</i>	63							1	Forest trails only; taped in for good view
Bicolored Antbird	<i>Gymnopithys leucaspis castanea</i>	63							3	Forest trails only; seen at separate antswarms without tape
Hairy-crested Antbird	<i>Rhegmatorhina melanosticta</i>	63							**H	Tried to tape in, but didn't cooperate
Reddish-winged Bare-eye	<i>Phlegopsis erythroptera</i>	63							2	Forest trails only; pair seen extremely well, initially located with tape, but not needed for sustained views



ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
ANTTHRUSHES AND ANTPITTAS										
Rufous-capped Antthrush	<i>Formicarius colma nigrifrons</i>	64							1+H	Forest trails only; 1 seen brilliantly with aid of tape; several more heard only at other times
Barred Antthrush	<i>Chamaeza mollissima</i>	64					H1			1 heard only; taped bird not close enough to see
Plain-backed Antpitta	<i>Grallaria haplonota chaplinae</i>	65						H1		Heard only, would not come out with tape
Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	65			H	1+ H	H			1 seen without tape at dusk at entrance to San Isidro cabins area; heard only frequently in all marked areas
Rufous Antpitta	<i>Grallaria rufula</i>	65		1						1 taped bird seen from 3 feet away (still hiding deep in thicket) along busy Papallacta highway!
Tawny Antpitta	<i>Grallaria quitensis</i>	65	X	X						Particularly easy to see without tape at Papallacta; frequently heard as well
Thrush-like Antpitta	<i>Myrmothera campanisona signota</i>	64							H1	Heard only on forest trails; would not come out with tape (but called from 5 feet away on other side of a log!)
Slate-crowned Antpitta	<i>Grallaricula nana</i>	64				1				Taped bird in deep forest, seen well
GNATEATERS										
Ash-throated Gnatcatcher	<i>Conopophaga peruviana</i>	66							**	
TAPACULOS										
Ash-colored Tapaculo	<i>Myornis senilis</i>	66					H1			Heard only; would not come in to tape
Blackish (Unicolored) Tapaculo	<i>Scytalopus (unicolor) latrans</i>	66	H		H	H	1+ H			Heard all over the highlands; 1 finally coaxed into view with tape on Guacamoyos Ridge [Clements, AOU show Blackish ( <i>S. latrans</i> ) as good species; Ridgely still lists it as part of Unicolored ( <i>S. unicolor</i> ) but suggests that 2 species may be involved.]
Rufous-vented (Long-tailed) Tapaculo	<i>Scytalopus micropterus</i>	66				H				Heard well, but would not come in to tape [All agree that <i>S. micropterus</i> is a good species, but Clements calls it "Rufous-vented"]
Paramo Tapaculo	<i>Scytalopus canus opacus</i>	66		4+ H						1 brief view of taped bird high on Papallacta Pass; 1 seen brilliantly (with 2 others in area less well seen) at Polylepis forest at Sendero Arriero
Ocellated Tapaculo	<i>Acropternis orthonyx infuscata</i>	66					H1			1 heard only far up ridge; would not come closer with tape
COTINGAS										
Red-crested Cotinga	<i>Ampelion rubrocristata</i>	76		X						
Green-and-black Fruiteater	<i>Pipreola riefferii confusa</i>	76				**	2			
Barred Fruiteater	<i>Pipreola arcuata</i>	76					1			
Fiery-throated Fruiteater	<i>Pipreola chlorolepidota</i>	76						1		Merely placing a "1" in the column doesn't do it justice—this one was a lifer for the GUIDE!
Dusky Piha	<i>Lipaugus fuscocinereus</i>	73			2		1			
Screaming Piha	<i>Lipaugus vociferans</i>	73							X	
Purple-throated Cotinga	<i>Porphyrolaema porphyrolaema</i>	76							1	Seen from road

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Plum-throated Cotinga	<i>Cotinga maynana</i>	76								Seen from road
Spangled Cotinga	<i>Cotinga cayana</i>	76							2	2 separate sightings, both from road
Purple-throated Fruitcrow	<i>Querula purpurata</i>	77							2	Seen from road
Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>	77						2		2 different birds flew across road, 1 at the now-famous Hollin River bridge
Andean Cock-of-the-rock	<i>Rupicola peruviana aequatorialis</i>	77						2		Yet more avian wonders at the Hollin River bridge
MANAKINS										
Blue-backed Manakin	<i>Chiroxiphia pareola napensis</i>	78							1	In forest, no tape; interesting, that this is the same species as the one I saw on Tobago! I wonder what a DNA analysis would show?
Blue-crowned Manakin	<i>Pipra coronata</i>	78							3	
Golden-headed Manakin	<i>Pipra erythrocephala berlepschi</i>	78							7	
(Western) Striped Manakin	<i>Machaeropterus regulus striolatus</i>	8							1	No tape, but spotted by eagle-eyed guide after hearing vocalization [AOU considering split of Brazilian subspecies]
Dwarf Tyrant-Manakin	<i>Tyranneutes stolzmanni</i>	78							1+H	Tracked one down; heard frequently on road and trail, at all times of day
TYRANT FLYCATCHERS										
Gray Elaenia	<i>Myiopagis caniceps cinerea</i>	68							1	
White-crested Elaenia	<i>Elaenia albiceps griseigularis</i>	68	1							
Torrent Tyrannulet	<i>Serpophaga cinerea</i>	69			2			1		
Ochre-bellied Flycatcher	<i>Mionectes oleaginous hauxwelli</i>	68							2	
Olive-striped Flycatcher	<i>Mionectes olivaceus fasciaticollis</i>	68				1	1	2		
Rufous-breasted Flycatcher	<i>Leptopogon rufipectus</i>	68				X	X			
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>	68						1		
Rufous-headed Pygmy-Tyrant	<i>Pseudotriccus ruficeps</i>	69					1			
Marble-faced Bristle-Tyrant	<i>Phylloscartes ophthalmicus</i>	67				1				
Ecuadorian Tyrannulet	<i>Phylloscartes gualaquizae</i>	67					**			Heard by guide only
Ashy-headed Tyrannulet	<i>Phyllomyias cinereiceps</i>	67				1				
Tawny-rumped Tyrannulet	<i>Phyllomyias uropygialis</i>	67		1						
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>	67						3		
White-throated Tyrannulet	<i>Mecocerculus leucophrys rufomarginatus</i>	70		X						
White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>	70				X				
Sulphur-bellied Tyrannulet	<i>Mecocerculus minor</i>	67				X	X			
White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>	70		X	X					
Tufted Tit-Tyrant	<i>Anairetes parulus aequatorialis</i>	69	3							
Scale-crested Pygmy-Tyrant	<i>Lophotriccus pileatus</i>	69						H		
Rufous-crowned Tody-Tyrant (Flycatcher)	<i>Poecilatriccus ruficeps</i>	69				1+ H				Heard frequently, but maddeningly difficult to see; 1 finally seen well, tape not really necessary, but a lot of patience required ["Tyrant" vs. "Flycatcher" name issue only—no separate species under consideration]
White-eyed Tody-Tyrant	<i>Hemitriccus zosterops</i>	69							2	Forest trails only

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Ringed Antpitt	<i>Corythopsis torquata sarayacuensis</i>	67							1	Taped in at first in forest, then studied at length without tape
Large-headed (Bamboo) Flatbill	<i>Ramphotrigon megacephala pectoralis</i>	70						1		Taped out of thick bamboo alongside road ["Bamboo" is name issue only, not in use by modern authorities]
Yellow-olive Flycatcher (Flatbill)	<i>Tolmomyias sulphurescens</i>	68							**H	Guide heard only
Gray-crowned Flycatcher (Flatbill)	<i>Tolmomyias poliocephalus</i>	68							**H	Guide heard only
Ornate Flycatcher	<i>Myiobicca ornatus</i>	70						**		
Flavescent Flycatcher	<i>Myiophobus flavicans</i>	71				X				
Handsome Flycatcher	<i>Myiophobus pulcher bellus</i>	71				X	1			
Olive-chested Flycatcher	<i>Myiophobus cryptoxanthus</i>	71						1		
Whiskered Flycatcher	<i>Myiobius barbatus</i>	70							1	
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea pyrrhoptera</i>	70			X	X	X			
Cliff Flycatcher	<i>Hirundinea ferruginea sclateri</i>	72						1		
Olive-sided Flycatcher	<i>Contopus cooperi</i>	71				X		3		
Smoke-colored Pewee	<i>Contopus fumigatus ardosiacus</i>	71			1	X				
Western Wood-Pewee	<i>Contopus sordidulus</i>	71						**		
Eastern Wood-Pewee	<i>Contopus virens</i>	71						1		
Black Phoebe	<i>Sayornis nigricans angusirostris</i>	72				X		1	1	Along rivers, usually seen while we were looking for dippers
Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis obfusca</i>	72		1	X					Quite common at Guango
Brown-backed Chat-Tyrant	<i>Ochthoeca fumicolor brunneifrons</i>	72	3	2						
Red-rumped Bush-Tyrant	<i>Cnemarchus erythropygius</i>	72		1						1 seen on old road a few hundred meters east of the pass
Smoky Bush-Tyrant	<i>Myiotheretes fumigatus</i>	72			1	1				
Black-billed Shrike-Tyrant	<i>Agriornis Montana solitaria</i>	72	2							
Plain-capped (Paramo) Ground-Tyrant	<i>Muscisaxicola (grisea) alpinus</i>	72	1	X						[Ridgely, AOU accept Paramo ( <i>M. alpinus</i> ) as species; Clements does not recognize split]
Bright-rumped Attila	<i>Attila spadiceus</i>	73							H	
Grayish Mourner	<i>Rhytipterna simplex frederici</i>	73							1	Easy to pass off as Screaming Piha
Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	73				**				
Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>	73				X				Best seen along entrance road to cabins and dining area
Great Kiskadee	<i>Pitangus sulphuratus</i>	74						X	X	Roadside birds enroute
Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	74							**	Seen by others around lodge buildings
Social Flycatcher	<i>Myiozetetes similis</i>	74						X	X	Roadside birds enroute
Gray-capped Flycatcher	<i>Myiozetetes granadensis</i>	74							**	Seen by others around lodge buildings
Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>	74							4	From trails only
Lemon-browed Flycatcher	<i>Conopias cinchoneti</i>	74						2		
Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus minor</i>	74				X				
Piratic Flycatcher	<i>Legatus leucophaeus</i>	74							X	Heard mostly, but a few seen along the road
Tropical Kingbird	<i>Tyrannus melancholicus</i>	74				X		X	X	
Yellow-cheeked Becard	<i>Pachyramphus xanthogenys xanthogenys</i>	75						1		

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Barred Becard	<i>Pachyramphus versicolor</i>	75					1			
White-winged Becard	<i>Pachyramphus polychopterus tenebrosus</i>	75						1		
Pink-throated Becard	<i>Pachyramphus minor</i>	75							**	Guide only, I believe
Black-tailed Tityra	<i>Tityra cayana</i>	75						2	2	
SWALLOWS										
Gray-breasted Martin	<i>Progne chalybea</i>	79							1	1 on wire on road near Jatun Sacha
White-winged Swallow	<i>Tachycineta albiventer</i>	79							X	On the Napo River near Misahualli
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	79				X	X	X		
Brown-bellied Swallow	<i>Notiochelidon murina</i>	79	X	X						
White-banded Swallow	<i>Atticora fasciata</i>	79							X	Fair numbers on wires on road near Jatun Sacha; one in downtown Tena was a surprise
White-thighed Swallow	<i>Neochelidon tibialis griseiventris</i>	79						X	X	
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	79						X	X	
WAGTAILS AND PIPITS										
Paramo Pipit	<i>Anthus bogotensis</i>	81	5							
DIPPERS										
White-capped Dipper	<i>Cinclus leucocephalus leuconotus</i>	81						1		Above bridge over first major stream; not seen in usual spots near Guango and San Isidro
WRENS										
Black-capped Donacobius	<i>Donacobius atricapilla nigrodorsalis</i>	81							3	Along roadside near Jatun Sacha
Thrush-like Wren	<i>Campylorhynchus turdinus hyposticus</i>	80						2		2 noisy birds flew across the road
Rufous Wren	<i>Cinnycerthia unirufa unibrunnea</i>	80					H			
Sharpe's (Sepia-brown) Wren	<i>Cinnycerthia olivascens</i>	80					2			Taped into view [species is good, but authorities arguing about the English name]
Plain-tailed Wren	<i>Thryothorus euophrys longipes</i>	80			2					Pair in hedge; furtive, but seeable without tape
Coraya Wren	<i>Thryothorus coraya griseipectus</i>	80						2		Furtive, needed tape to see them
(Southern) House Wren	<i>Troglodytes aedon albicans</i>	80						**	1	"Casa Wren" we call it [Southern birds may yet (again) be considered a separate species—stay tuned!]
Mountain Wren	<i>Troglodytes solstitialis</i>	80			X	X	X			Easily seen in foliage around Guango feeders; heard frequently in marked areas
Sedge (Grass) Wren	<i>Cistothorus platensis aequatorialis</i>	80	1	X						Hard to believe this is the same species as our North American Sedge Wren—different voice, behavior, longer tail [Clements retains Sedge ( <i>C.platensis</i> ) for all; AOU and Ridgely suggest Grass ( <i>C.aequatorialis</i> ) is probably a separate species, but request a proposal]
White-breasted Wood-Wren	<i>Henicorhina leucosticte hauxwelli</i>	80							H	
Gray-breasted Wood-Wren	<i>Henicorhina leucophrys leucophrys</i>	80			H	1+ H	H			Got a great look at one at San Isidro

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Scaly-breasted (Southern Nightingale) Wren	<i>Microcerculus marginatus marginatus</i>	80							1	Heard the magnificent song and had a decent look at this very furtive bird [taxonomy of this and related species is confusing; Scaly-breasted seems to be the English name of choice for <i>M. marginatus</i> ]
Wing-banded Wren	<i>Microcerculus bambla</i>	80						H		Heard along roadside a few times, but would not emerge into view
Chestnut-breasted Wren	<i>Cyphorhinus thoracicus dichrous</i>	80					1			Spectacular close and long look and listen; singing nightingale-wren-like song not on available tapes
Musician Wren	<i>Cyphorhinus aradus salvini</i>	80						1		Very quick look, heard well ; another stunning songster
THRUSHES										
Andean Solitaire	<i>Myadestes ralloides venezuelensis</i>	82				1+ H	H			Quick look only at this frequent singer
Swainson's Thrush	<i>Catharus ustulatus swainsoni</i>	82				X		X		
Pale-eyed Thrush	<i>Platycichla leucops</i>	82				X				Saw a few well, heard many
Great Thrush	<i>Turdus fuscater quindio</i>	82	X	X	X					
Glossy-black Thrush	<i>Turdus serranus fuscobrunneus</i>	82				X	X			Saw a few well, heard many
Black-billed Thrush	<i>Turdus ignobilis debilis</i>	82						4		
Lawrence's Thrush	<i>Turdus lawrencii</i>	82							2+H	I had a devil of a time getting on my first one, but then saw another easily; heard many
White-necked Thrush	<i>Turdus albicollis spodiolaemus</i>	82							2	
GNATCATCHERS										
Long-billed Gnatwren	<i>Ramphocaenus melanurus duidae</i>	81							2	
CROWS AND JAYS										
Green (Inca) Jay	<i>Cyanocorax yncas (yncas)</i>	49				X	X			[Ridgely accepts Inca ( <i>C. yncas</i> ) as separate species, and AOU wants a proposal ; Clements still uses Green for whole group
Violaceous Jay	<i>Cyanocorax violaceus</i>	49							X	Seen and heard along road
Turquoise Jay	<i>Cyanolyca turcosa</i>	49			1					
VIREOS AND ALLIES										
Brown-capped Vireo	<i>Vireo leucophrys</i>	81				X				
Yellow-green Vireo	<i>Vireo flavoviridis</i>	81							H	
Olivaceous Greenlet	<i>Hylophilus olivaceus</i>	81						2		
Black-billed Peppershrike	<i>Cyclarhis nigristrostris</i>	81				3				1 in forest, 2 on entrance road to cabins and dining area
FINCHES, SISKINS, CROSSBILLS										
Hooded Siskin	<i>Carduelis magellanica capitalis</i>	91	10	X						
WOOD WARBLERS										
Tropical Parula	<i>Parula pitiayumi alarum</i>	83				X	X	X		
Blackburnian Warbler	<i>Dendroica fusca</i>	83			X	X	X	X		
Blackpoll Warbler	<i>Dendroica striata</i>	83							**	
Cerulean Warbler	<i>Dendroica cerulean</i>	83							5	
Canada Warbler	<i>Wilsonia canadensis</i>	83				X	X	X		
Slate-throated Redstart (Whitestart)	<i>Myioborus miniatus ballux</i>	83				X	X	X		[authorities continue to argue about "whitestart" vs. "redstart"]

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Spectacled Redstart (Whitestart)	<i>Myioborus melanocephalus ruficoronatus</i>	83	X	X	X	1				
Citrine Warbler	<i>Basileuterus luteoviridis</i>	83		1						In flock along busy highway above town of Papallacta
Black-crested Warbler	<i>Basileuterus nigrocristatus</i>	83			X	X	X			
Russet-crowned Warbler	<i>Basileuterus coronatus orientalis</i>	83			X	X				
BANANAQUIT										
Bananaquit	<i>Coereba flaveola intermedia</i>	84						X		
TANAGERS AND ALLIES										
Cinereous Conebill	<i>Conirostrum cinereum fraseri</i>	84	X	X						
Blue-backed Conebill	<i>Conirostrum sitticolor</i>	84		X	X	X				
Capped Conebill	<i>Conirostrum albifrons atrocyaneum</i>	84			1	X	X			
Giant Conebill	<i>Oreomanes fraseri</i>	84		3						In flock along main highway just east of pass, at Sendero del Arriero
Magpie Tanager	<i>Cissopis leveriana</i>	89						4	X	
Grass-green Tanager	<i>Chlorornis riefferii</i>	88					X			
Common Bush-Tanager	<i>Chlorospingus ophthalmicus phaecocephalus</i>	90				X	X			
Yellow-throated Bush-Tanager	<i>Chlorospingus flavigularis</i>	90					**	1		
Black-capped Hemispingus	<i>Hemispingus atropileus</i>	90			X		X			
Superciliaried Hemispingus	<i>Hemispingus superciliaris nigrifrons</i>	90		X						
Black-eared Hemispingus	<i>Hemispingus melanotis</i>	90		X		X	X			
Flame-crested Tanager	<i>Tachyphonus cristatus fallax</i>	90							1	In canopy flock on trails
Fulvous-crested Tanager	<i>Tachyphonus surinamus brevipes</i>	90							1	Female, along road
White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	90						X		
White-lined Tanager	<i>Tachyphonus rufus</i>	90						2		
Scarlet Tanager	<i>Piranga olivacea</i>	89						**		
Summer Tanager	<i>Piranga rubra</i>	89				1		3		
White-winged Tanager	<i>Piranga leucoptera ardens</i>	88						1		
Silver-beaked Tanager	<i>Ramphocelus carbo</i>	89						X	X	
Blue-gray Tanager	<i>Thraupis episcopus coelestis</i>	89				X		X	X	
Palm Tanager	<i>Thraupis palmarum melanoptera</i>	89						X	X	
Hooded Mountain-Tanager	<i>Buthraupis montana cucullata</i>	88			4		1			
Black-chested Mountain-Tanager	<i>Buthraupis eximia chloronota</i>	88		1						On IMAAP Road
Lacrimose Mountain-Tanager	<i>Anisognathus lacrymosus palpebrosus</i>	88		X	X	X	X			Nice to see this beautiful bird common
Scarlet-bellied Mountain-Tanager	<i>Anisognathus igniventris erythrotus</i>	88		X						
Blue-winged Mountain-Tanager	<i>Anisognathus somptuosus baezae</i>	88				X	X			
Buff-breasted Mountain-Tanager	<i>Dubusia taeniata</i>	88		2						
Fawn-breasted Tanager	<i>Pipraeidea melanonota venezuelensis</i>	87				1				
White-vented Euphonia	<i>Euphonia minuta</i>	85							1	
Golden-rumped Euphonia	<i>Euphonia cyanocephala</i>	85				**				Guide only
Orange-bellied Euphonia	<i>Euphonia xanthogaster brevirostris</i>	85				X		5	X	
Blue-naped Chlorophonia	<i>Chlorophonia cyanea longipennis</i>	85						H		

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
Chestnut-breasted Chlorophonia	<i>Chlorophonia pyrrhophrys</i>	85				**				Guide only
Paradise Tanager	<i>Tangara chilensis</i>	86						X	X	Easiest along road
Green-and-gold Tanager	<i>Tangara schrankii</i>	86						1	X	Easiest along road
Golden Tanager	<i>Tangara arthus aequatorialis</i>	87						1		
Saffron-crowned Tanager	<i>Tangara xanthocephala venusta</i>	87				X	X			
Golden-eared Tanager	<i>Tangara chrysotis</i>	87						1		
Flame-faced Tanager	<i>Tangara parzudakii</i>	87				X				
Spotted Tanager	<i>Tangara punctata zamorae</i>	86						3		
Bay-headed Tanager	<i>Tangara gyrola catharinae</i>	86						X		
Golden-naped Tanager	<i>Tangara ruficervix taylori</i>	87				X				
Blue-necked Tanager	<i>Tangara cyanicollis caeruleocephala</i>	86						X		
Masked Tanager	<i>Tangara nigrocincta</i>	86							1	Along road near Gareno parking area
Turquoise Tanager	<i>Tangara Mexicana</i>	86							**	Guide only
Beryl-spangled Tanager	<i>Tangara nigroviridis</i>	87			X	X	X			
Blue-and-black Tanager	<i>Tangara vassorii</i>	87		X	X	X	X			
Black-capped Tanager	<i>Tangara heinei</i>	87				X				
Opal-crowned Tanager	<i>Tangara callophrys</i>	86							1	I only saw one, but others saw more; usually high in canopy and difficult to see
Golden-collared Honeycreeper	<i>Iridophanes pulcherrima</i>	84				2				
Black-faced Dacnis	<i>Dacnis lineate</i>	85						3	1	
Green Honeycreeper	<i>Chlorophanes spiza carulescens</i>	84							2	
Purple Honeycreeper	<i>Cyanerpes caeruleus microrhynchus</i>	84							3	
Swallow-Tanager	<i>Tersina viridis occidentalis</i>	86						X	X	
Plush-capped (Finch)	<i>Catamblyrhynchus diadema</i>	96			2					In flock with Hemispingus along road near lodge entrance; at first we mistook all dark juvenile for Slaty Finch, but bill shape and behavior (following adult Plush-capped begging for food!) ruled that out. Description of juvenile in field guide seems off. [Clements still uses "Finch" in English name; most other authorities (and Ridgely) drop "Finch" (since it's not!)]
Black-backed Bush-Tanager	<i>Urothraupis stolzmanni</i>	90		2						In flock with Giant Conebill east of pass
BUNTINGS, SEEDEATERS, ALLIES										
Plumbeous Sierra-Finch	<i>Phrygilus unicolor geospizopsis</i>	92	X	X						
Ash-breasted Sierra-Finch	<i>Phrygilus plebejus ocularis</i>	92	1							
Blue-black Grassquit	<i>Volatinia jacarina splendens(?)</i>	92							X	Roadside in lowlands
Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>	92						X		
Lesser (Chestnut-bellied) Seed-Finch	<i>Oryzoborus (angolensis) torridus</i>	92						X	X	Roadside in mid-elevations [AOU says Chestnut-bellied (( <i>O. angolensis</i> ) is separate species; Clements and Ridgely don't recognize split]
Plain-colored Seedeater	<i>Catamenia inornata minor</i>	92	X							
Paramo Seedeater	<i>Catamenia homochroa</i>	92		X						
Black Flowerpiercer	<i>Diglossa humeralis aceterrima</i>	84	X	X						
Deep-blue (Golden-eyed) Flowerpiercer	<i>Diglossopsis glauca tyrianthina</i>	84						1		[No one suggests split; Clements still uses "Deep-blue" English name; Ridgely proposes

ENGLISH NAME	LATIN NAME	PL#	AN	PA	GU	SI	GR	LO	GAR	COMMENT
										"Golden-eyed", which AOU rejects without explanation]
Bluish Flowerpiercer	<i>Diglossopis caerulescens saturata</i>	84				X	X			
Masked Flowerpiercer	<i>Diglossopis cyanea</i>	84			1	X	X			
Pale-naped Brush-Finch	<i>Atlapetes pallidinuca papallactae</i>	93		1						
Rufous-naped Brush-Finch	<i>Atlapetes latinuchus</i>	93	2							
Slaty Brush-Finch	<i>Atlapetes schistaceus</i>	93		1						
Stripe-headed Brush-Finch	<i>Buarremon torquatus assimilis</i>	93					X			
SPARROWS, TOWHEES, JUNCOS										
Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	93						X	X	Roadside in mid to lower elevation areas
Rufous-collared Sparrow	<i>Zonotrichia capensis costaricensis</i>	93	X	X	X	X	X			
SALTATORS, CARDINALS AND ALLIES										
Grayish Saltator	<i>Saltator coerulescens azarae</i>	91						1		
Buff-throated Saltator	<i>Saltator maximus</i>	91							1	
Slate-colored Grosbeak	<i>Saltator grossus</i>	91							2	
Golden-bellied (Southern Yellow) Grosbeak	<i>Pheucticus chrysogaster</i>	91	**							Guide only—flew away before anyone else could get out of the van
BLACKBIRDS, ORIOLES, GRACKLES, ETC.										
Moriche Oriole	<i>Icterus chryscephalus</i>	95							1	Roadside, just west of Gareno parking area
Orange-backed Troupial	<i>Icterus croconotus</i>	95							1	1 along road near Tena
Yellow-rumped Cacique	<i>Cacicus cela</i>	94						X	X	
Scarlet-rumped (Sub-tropical) Cacique	<i>Cacicus uropygialis (uropygialis)</i>	94				X				Clements doesn't recognize split of Sub-tropical ( <i>C. uropygialis</i> ); AOU says it is probably a good split, but wants a proposal; curiously, Ridgely doesn't use Scarlet-rumped, but seems to refer to it approvingly in the species notes]
(Northern) Mountain Cacique	<i>Cacicus chrysonotus leucoramphus</i>	94			4	1	X			Clements doesn't recognize split of Northern ( <i>C. leucoramphus</i> ); Ridgely does accept it, and the AOU has it under consideration]
Casqued Oropendola	<i>Psarocolius oseryi</i>	94							5	From road in vicinity of Gareno parking area
Russet-backed Oropendola	<i>Psarocolius angustifrons</i>	94				X		X	X	
<b>Other Critters</b>										
Long-tailed Weasel	<i>Mustela frenata</i>		2							
Tayra	<i>Eira barbara</i>								**	Seen by others scampering across Gareno access road
Brazilian Rabbit	<i>Sylvilagus brasiliensis</i>		X	X						
(Neotropical) Red (-tailed) Squirrel	<i>Sciurus granatensis</i>					X				
Tamandua	<i>Tamandua tetradactyla</i>								1	Sitting in tree above Harpy Eagle trail
White-fronted Capuchin Monkey	<i>Cebus albifrons</i>								H	
Ruby Poison Dart Frog	<i>Epipedobates parvulus</i>								1	Stirred up by anstswarm in forest
Bromeliad frog sp	Probably <i>Hyla</i> sp.								1+H	Resident in bromeliad in cabin gardens (white underparts, sharply contrasting with dark brown upperparts; flat headed, large eyes; gave chirping bark at night



