

| | | | | | | | | | | | | | | | | | |
|---------------------------|---------------------------------|--|---|--|---|--|--|---|--|--|--|---|---|--|--|--|---|
| Black-winged Saltator | <i>Saltator atripennis</i> | | | | X | | | | | | | | | | | | |
| Casqued Oropendola | <i>Psarocolius oseryi</i> | | | | | | | | | | | | X | | | | |
| Crested Oropendola | <i>Psarocolius decumanus</i> | | X | | | | | | | | | | | | | | |
| Green Oropendola | <i>Psarocolius viridis</i> | | | | | | | | | | | | X | | | | |
| Russet-backed Oropendola | <i>Psarocolius angustifrons</i> | | X | | | | | | | | | | X | | | | |
| Yellow-rumped Cacique | <i>Cacicus cela</i> | | X | | | | | | | | | | X | | | | |
| Scarlet-rumped Cacique | <i>Cacicus microrhynchus</i> | | | | | | | X | | | | | | | | | |
| Northern Mountain Cacique | <i>Cacicus leucoramphus</i> | | | | | | | | | | | X | | | | | |
| Yellow-billed Cacique | <i>Amblycercus holosericeus</i> | | | | | | | | | | | | | | | | X |
| Moriche Oriole | <i>Icterus chryscephalus</i> | | X | | | | | | | | | | | | | | |
| Yellow-tailed Oriole | <i>Icterus mesomelas</i> | | | | | | | | | | | | | | | | X |
| Oriole Blackbird | <i>Gymnomystax mexicanus</i> | | X | | | | | | | | | | | | | | |
| Scrub Blackbird | <i>Dives warszewiczi</i> | | | | | | | | | | | | | | | | X |
| Shiny Cowbird | <i>Molothrus bonariensis</i> | | | | | | | X | | | | | | | | | |

Among other birds seen and ID'd by Edison, but not seen well enough by us for a "tick", were: **Rufous-bellied Seedsnipe (PA), Violet-bellied Hummingbird (SI), Lafresnaye's Piculet (RD), Crimson-bellied Woodpecker (MA), Yellow-throated Spadebill (MA), Thrush-like Schiffornis (PQ), Emerald Tanager (MI), Metallic-Green Tanager (MI), and Grey-and-Gold Warbler (PQ).**