

## Species Accounts:

### Abbreviations:

PP = Peperpot Plantation  
WZ = Weg naar Zee  
RF = Raleigh Falls & Voltzberg  
BB = Brownsberg Nature Park  
ST = Savanna Tour  
CT = Cultuurtuin  
PL = Plantation trip  
OP = Old Paramaribo  
(....) = Number of birds seen

1. Cinereous Tinamou (h) - heard only at PP
2. Little Tinamou (h) - heard only at S
3. Red-legged Tinamou (h) - heard only at S
4. Anhinga (1) - RF during boat trip
5. Brown Pelican (1) - WZ
6. Tricoloured Heron (1) - WZ
7. Little Blue Heron (40+) - common at WZ. Also PL by R
8. Snowy Egret (20+) - common at WZ. Also PL by R
9. Capped Heron (3) - RF during boat trip
10. Cocoi Heron (6) - WZ and RF during boat trip
11. Great Egret (2) - WZ
12. Cattle Egret (50+) - common throughout
13. Striated Heron (10+) - fairly common at WZ and boat trip to RF. Also  
PL by R
14. Yellow-crowned Night-heron (1) - WZ one juvenile
15. Black-crowned Night-heron (4) - WZ and CT
16. Rufescent Tiger-heron (h) - heard only at ST
17. Green Ibis (7) - RF during boat trip & heard at PP. Also OP by  
R
18. Black Vulture (100+) - common throughout
19. Turkey Vulture (30+) - fairly common at WZ, RF & ST. PL & OP by R
20. Lesser Yellow-headed Vulture (6) - PP. PL by R
21. Greater Yellow-headed Vulture (20+) - fairly common at RF & ST. Also few at BB
22. King Vulture (2) - BB & RF during boat trip
23. Osprey (8) - WZ. PL by R
24. Grey-headed Kite (1) - ST
25. Swallow-tailed Kit (7) - fairly common around BB. One at ST
26. Snail Kite (20+) - common at WZ. PL & OP by R
27. Plumbeous Kite (1) - savannah between BB and airport
28. Long-winged Harrier (1) - WZ
29. Crane Hawk (1) - RF at airstrip
30. White Hawk (1) - RF at trail to Voltzberg
31. Rufous Crab-hawk (1) - WZ
32. Great Black Hawk (1) - ST with snake in claws
33. Savanna Hawk (2) - near airport
34. Black-collared Hawk (3) - PP & CT. OP by R
35. Grey Hawk (2) - PP & CT
36. Roadside Hawk (5) - common at ST
37. White-tailed Hawk (2) - ST
38. Zone-tailed Hawk (1) - WZ
39. Black Hawk-eagle (h) - heard only at PP
40. Black Caracara (4) - RF during boat trip and at airstrip
41. Red-throated Caracara (5) - RF on Fungu Island. One heard at BB
42. Yellow-headed Caracara (5) - WZ & ST. PL by R
43. Laughing Falcon (2) - RF at airstrip. Heard at PP. Also PP by R

- |                                    |                                         |
|------------------------------------|-----------------------------------------|
| 44. Bat Falcon (1)                 | - WZ                                    |
| 45. Little Chachalaca (4)          | - RF at airstrip. Heard at ST           |
| 46. Marail Guan (2)                | - RF at airstrip                        |
| 47. White-headed Piping-guan (3)   | - RF at airstrip                        |
| 48. Black Curassow (9)             | - RF during boat trip & Voltzberg trail |
| 49. Russet-crowned Crake (h)       | - heard only at ST                      |
| 50. Gray-winged Trumpeter (12)     | - BB near restaurant                    |
| 51. Wattled Jacana (25+)           | - common at WZ & CT. PL & OP by R       |
| 52. Whimbrel (4)                   | - WZ                                    |
| 53. Greater Yellowlegs (5)         | - WZ                                    |
| 54. Lesser Yellowlegs (3)          | - WZ during bird count by R             |
| 55. Solitary Sandpiper (1)         | - OP by R                               |
| 56. Spotted Sandpiper (200+)       | - common at WZ. PL by R                 |
| 57. Willet (6)                     | - WZ                                    |
| 58. Ruddy Turnstone (50+)          | - common at WZ                          |
| 59. Short-billed Dowitcher (10)    | - WZ                                    |
| 60. Semipalmated Sandpiper (1000+) | - Abundant at WZ                        |
| 61. Least Sandpiper (1)            | - WZ                                    |
| 62. Pectoral Sandpiper (2)         | - WZ during bird count by R             |
| 63. Grey Plover (100+)             | - common at WZ                          |
| 64. Semipalmated Plover (100+)     | - common at WZ                          |
| 65. Laughing Gull (10+)            | - WZ. PL by R                           |
| 66. Large-billed Tern (6)          | - WZ                                    |
| 67. Sandwich Tern (30+)            | - PL by R                               |
| 68. Yellow-billed Tern (2)         | - PL by R                               |
| 69. Black Skimmer (50+)            | - WZ common                             |
| 70. Scaled Pigeon (1)              | - ST                                    |
| 71. Pale-vented Pigeon (3)         | - ST                                    |
| 72. Plumbeous Pigeon (1)           | - RF at lodge. Heard at ST              |
| 73. Ruddy Pigeon (3)               | - BB & CT                               |
| 74. Common Ground-dove (20+)       | - RF and common at ST & CT              |
| 75. Ruddy Ground-dove (20+)        | - common at PP & WZ. PL & OP by R       |
| 76. White-tipped Dove (1)          | - RF at Fungu Island                    |
| 77. Gray-fronted Dove (5)          | - common at BB                          |
| 78. Blue-and-Yellow Macaw (7)      | - RF during boat trip & at airstrip     |
| 79. Scarlet Macaw (30+)            | - common at RF                          |
| 80. Red-and-Green Macaw (8)        | - RF at airstrip                        |
| 81. Red-bellied Macaw (15)         | - BB near Tapir Lodge                   |
| 82. Red-shouldered Macaw (20+)     | - fairly common at ST                   |
| 83. White-eyed Parrot (8)          | - RF airstrip and ST                    |
| 84. Brown-throated Parakeet (15+)  | - WZ and RF airstrip. OP by R           |
| 85. Painted Parakeet (20+)         | - fairly common at RF and BB            |
| 86. Green-rumped Parrotlet (10+)   | - PP and WZ. PL by R                    |
| 87. Golden-winged Parakeet (20+)   | - RF and BB                             |
| 88. Blue-headed Parrot (20+)       | - RF and BB                             |
| 89. Dusky Parrot (3)               | - ST                                    |
| 90. Orange-winged Parrot (30+)     | - common near coast                     |
| 91. Mealy Amazon (25+)             | - common at RF airstrip. OP by R        |
| 92. Red-fan Parrot (15+)           | - fairly common at RF                   |
| 93. Squirrel Cuckoo (10+)          | - common at most places                 |
| 94. Little Cuckoo (2)              | - PP and CT                             |
| 95. Greater Ani (15+)              | - fairly common at WZ. OP by R          |
| 96. Smooth-billed Ani (40+)        | - common near coast                     |
| 97. Striped Cuckoo (h)             | - heard only at OP by R                 |
| 98. Crested Owl (1)                | - RF near lodge                         |
| 99. Great Potoo (1)                | - PP One of the best birds of the trip  |
| 100. Common Potoo (h)              | - heard only at ST                      |
| 101. Short-tailed Nighthawk (1)    | - ST                                    |
| 102. Lesser Nighthawk (8)          | - ST and at airport                     |
| 103. Pauraque (1)                  | - ST                                    |

104. White-tailed Nightjar (3)	- ST
105. Spot-tailed Nightjar (1)	- ST
106. Blackish Nightjar (4)	- RF, BB and ST
107. Band-rumped Swift (50+)	- common: BB, RF and CT. PL by R
108. Short-tailed Swift (100+)	- common near coast
109. Fork-tailed Palm-swift (50+)	- one at RF common at ST
110. Lesser Swallow-tailed Swift (3)	- BB
111. Long-tailed Hermit (3)	- BB and RF
112. Little Hermit (1)	- RF at Fungu Island
113. Gray-breasted Sabrewing (3)	- PP. OP by R
114. White-necked Jacobin (1)	- RF near lodge
115. Green-throated Mango (1)	- BB
116. Black-throated Mango (15+)	- one at BB, common at CT. PP and PL by R
117. Ruby-topaz Hummingbird (1)	- ST
118. Fork-tailed Woodnymph (1)	- ST
119. Rufous-throated Sapphire (1)	- ST
120. Green-tailed Goldenthrout (5)	- ST
121. White-tailed Goldenthrout (1)	- OP by R
122. Glittering-throated Emerald (15+)	- PP and BB. Common at ST. OP by R
123. Plain-bellied Hummingbird (1)	- WZ
124. Crimson Topaz (2)	- RF at Fungu Island and ST
125. Black-eared Fairy (1)	- RF at Fungu Island
126. White-tailed Trogon (3)	- BB & PP by R
127. Collared Trogon (h)	- heard only at BB
128. Violaceous Trogon (3)	- CT
129. Ringed Kingfisher (5)	- RF and ST
130. Amazon Kingfisher (20+)	- common along river at RF
131. Green Kingfisher (1)	- CT
132. Green-and-Rufous Kingfisher (1)	- OP by R
133. Pygmy Kingfisher (1)	- OP by R
134. Blue-crowned Motmot (h)	- heard only at BB
135. Yellow-billed Jacamar (4)	- BB
136. Green-tailed Jacamar (4)	- PP and RF
137. Paradise Jacamar (1)	- savannah during drive to Witagron
138. Great Jacamar (1)	- RF at Voltzberg trail
139. Pied Puffbird (1)	- ST
140. Spotted Puffbird (3)	- Heard at PP. OP & PP by R
141. Black Nunbird (2)	- RF and during drive to Witagron
142. Swallow-winged Puffbird (30+)	- common at RF and ST.
143. Black-spotted Barbet (4)	- PP and BB
144. Green Aracari (2)	- RF
145. Black-necked Aracari (6)	- RF at airstrip. Heard at OP by R
146. Channel-billed Toucan (10+)	- common at RF airstrip. Also one at BB
147. White-throated Toucan (3)	- RF
148. Arrowhead Piculet (3)	- PP and OP by R
149. Blood-coloured Woodpecker (2)	- PP and OP by R
150. Golden-collared Woodpecker (2)	- BB and CT
151. Yellow-throated Woodpecker (h)	- heard only at ST
152. Golden-green Woodpecker (1)	- BB
153. Golden-olive Woodpecker (1)	- BB
154. Waved Woodpecker (1)	- BB
155. Chestnut Woodpecker (1)	- RF at airstrip
156. Lineated Woodpecker (1)	- RF at airstrip
157. Red-necked Woodpecker (8)	- BB and fairly common at RF. OP by R
158. Crimson-crested Woodpecker (2)	- RF at airstrip
159. Plain-brown Woodcreeper (4)	- RF and BB
160. Wedge-billed Woodcreeper (5)	- fairly common at BB
161. Straight-billed Woodcreeper (1)	- WZ
162. Chestnut-rumped Woodcreeper (1)	- BB
163. Buff-throated Woodcreeper (1)	- BB

164. Lineated Woodcreeper (1)	- RF
165. Curve-billed Scythebill (1)	- BB
166. Pale-breasted Spinetail (1)	- ST
167. Plain-crowned Spinetail (3)	- RF. OP by R
168. Ruddy Spinetail (1)	- BB
169. Yellow-throated Spinetail (4)	- WZ
170. Point-tailed Palmcreeper (1)	- ST
171. Rufous-tailed Foliage-gleaner (1)	- RF trail to Voltzberg
172. Plain Xenops (1)	- RF trail to Voltzberg
173. Fasciated Antshrike (3)	- BB and in savannah
174. Black-throated Antshrike (1)	- BB
175. Great Antshrike (h)	- heard only at PP
176. Black-crested Antshrike (7) by R	- fairly common WZ, RF and BB. Also PP & OP
177. Barred Antshrike (h)	- ST
178. Mouse-coloured Antshrike (2)	- BB
179. Slaty Antshrike (1)	- BB
180. Amazonian Antshrike (2)	- BB and CT
181. Spot-winged Antshrike (1)	- BB
182. Cinereous Antshrike (2)	- BB
183. Pygmy Antwren (1)	- ST in forest at Berlijn
184. Streaked Antwren (2)	- RF near lodge
185. Grey Antwren (1)	- BB
186. Todd's Antwren (1)	- BB
187. Gray Antbird (3)	- BB
188. Blackish Antbird (2)	- PP
189. Warbling Antbird (3)	- BB
190. Black-chinned Antbird (1)	- BB
191. Black-headed Antbird (3)	- BB
192. Spot-winged Antbird (1)	- BB
193. Silvered Antbird (2)	- OP by R
194. Ferruginous-backed Antbird (4)	- BB
195. Black-throated Antbird (2)	- PP and ST
196. Boat-billed Tody-tyrant (h)	- heard only by R at PP
197. Scale-backed Antbird (1)	- BB
198. Spotted Antpitta (h)	- heard only ST
199. Trush-like Antpitta (h)	- heard only ST
200. Spotted Tody-flycatcher (2)	- WZ & PL by R
201. Common Tody-flycatcher (8)	- RF and CT. PL & OP by R
202. Southern Beardless Tyrannulet (2)	- RF at Fungu Island. Heard at PP
203. Forest Elaenia (2)	- PP and CT
204. Yellow-bellied Elaenia (1)	- CT. Also heard at PP and ST
205. Plain-crested Elaenia (2)	- ST
206. Yellow-crowned Elaenia (1)	- OP by R
207. Pale-tipped Tyrannulet (h)	- heard only at OP by R
208. Helmeted Pygmy-tyrant (1)	- BB
209. White-crested Spadebill (1)	- BB
210. Fuscous Flycatcher (3)	- WZ. OP by R
211. Tropical Pewee (1)	- RF near lodge
212. Pied Water-tyrant (15+)	- CT and common at WZ. PL & OP by R
213. White-headed Marsh-tyrant (15+)	- CT and common at WZ. PL & OP by R
214. Cinnamon Attila (5)	- BB and CT. Also PP by R
215. Bright-rumped Attila (h)	- heard only at BB
216. Swainson's Flycatcher (1)	- BB
217. Short-crested Flycatcher (2)	- RF at airstrip
218. Tropical Kingbird (25+)	- common near coast and savannah
219. Fork-tailed Flycatcher (3)	- CT
220. Gray Kingbird (2)	- CT
221. Boat-billed Flycatcher (2)	- ST and CT. Also heard at PP
222. White-ringed Flycatcher (2)	- PP and CT

223. Streaked Flycatcher (1)	- during trip to Witagron
224. Rusty-margined Flycatcher (2)	- PP. OP by R
225. Piratic Flycatcher (4)	- ST and CT
226. Lesser Kiskadee (15+)	- seen at most places in small numbers
227. Great Kiskadee (100+)	- very common near coast
228. Cinereous Becard (1)	- PP
229. White-winged Becard (1)	- OP by R
230. Black-tailed Tityra (1)	- ST by Otte in Berlijn forest
231. Trush-like Manakin (2)	- BB
232. Golden-headed Manakin (2)	- BB at lek
233. White-bearded Manakin (1)	- BB
234. Crimson-hooded Manakin (2)	- OP by R (lek)
235. Saffron-crested Tyrant-manakin (1)	- ST at lek
236. Screaming Piha (5)	- common at RF and BB
237. Bare-necked Fruitcrow (1)	- RF along river
238. Purple-throated Fruitcrow (4)	- ST
239. Capuchin Bird (h)	- heard only at BB
240. White Bellbird (h)	- heard only at BB
241. Guianan Cock-of-the-Rock (17)	- RF lek near Voltzberg
242. White-winged Swallow (50+)	- WZ and common along river to RF. PL by R
243. Grey-breasted Martin (100+)	- common near coast
244. White-banded Swallow (20+)	- fairly common along river to RF
245. Black-collared Swallow (30+)	- RF common
246. Barn Swallow (9)	- WZ, RF and ST
247. Tropical Mockingbird (75+)	- very common near coast and savannah
248. Pale-breasted Trush (40+)	- common near coast
249. Cocoa Thrush (1)	- CT
250. Bare-eyed Thrush (2)	- CT. OP by R
251. White-necked Trush (1)	- BB
252. Black-capped Donacobius (2)	- CT
253. Coraya Wren (2)	- BB
254. Buff-breasted Wren (4)	- WZ and CT. OP by R
255. House Wren (8)	- PP, ST and CT. PL by R
256. Musician Wren (h)	- heard only BB
257. Tropical Gnatcatcher (10)	- PP, RF and CT. OP by R
258. Grassland Sparrow (3)	- ST
259. Variable Seedeater (6)	- RF, ST and CT. OP by R
260. Blue-black Grassquit (20+)	- OP by R
261. Lined Seedeater (1)	- PL by R
262. Bananaquit (15+)	- fairly common at most places
263. Pectoral Sparrow (1)	- RF near lodge
264. Red-and-Black Grosbeak (2)	- BB
265. Buff-throated Saltator (2)	- RF near lodge
266. Grayish Saltator (2)	- CT
267. Black-faced Tanager (4)	- ST
268. Hooded Tanager (8)	- PP. OP by R
269. Fulvous Shrike-tanager (3)	- BB and ST
270. Flame-crested Tanager (2)	- BB
271. Fulvous-crested Tanager (1)	- BB
272. White-shouldered Tanager (1)	- BB
273. White-lined Tanager (10+)	- CT and common at PP. OP by R
274. Red-shouldered Tanager (6)	- ST
275. Silver-beaked Tanager (100+)	- common throughout
276. Blue-gray Tanager (50+)	- common near coast. Two at RF
277. Palm Tanager (30+)	- RF, CT and common at ST. PL & OP by R
278. Finch's Euphonia (h)	- heard only at OP by R
279. Violaceous Euphonia (10+)	- PP, RF, and CT. Fairly common at ST
280. Turquoise Tanager (8)	- PP and RF.
281. Bay-headed Tanager (4)	- BB
282. Burnished-buff Tanager (2)	- ST

283. Black-faced Dacnis (1)	- BB
284. Blue Dacnis (2)	- during drive to Witagron
285. Green Honeycreeper (2)	- BB
286. Short-billed Honeycreeper (1)	- BB
287. Purple Honeycreeper (4)	- RF and BB
288. Red-legged Honeycreeper (3)	- RF and BB
289. Tropical Parula (2)	- BB
290. Yellow Warbler (1)	- WZ
291. Red-eyed Vireo (1)	- BB
292. Ashy-headed Greenlet (1)	- BB. Heard at OP by R
293. Buff-cheeked Greenlet (1)	- BB
294. Crested Oropendola (40+)	- PP, ST and common at RF. PL & OP by R
295. Green Oropendola (15+)	- BB and ST and common at RF
296. Yellow-rumped Cacique (15+)	- ST and common at RF. Also PP by R
297. Red-rumped Cacique (11)	- ST and during drive to Witagron
298. Moriche Oriole (2)	- ST
299. Yellow Oriole (3)	- WZ. OP by R
300. Red-breasted Blackbird (25+)	- CT and common at WZ. PL by R
301. Eastern Meadowlark (2)	- ST
302. Carib Grackle (10)	- WZ
303. Shiny Cowbird (6)	- RF at airstrip. PL by R
304. Giant Cowbird (50+)	- common along river to RF

#### **Mammal species:**

1. Black Spider Monkey	- <i>Ateles Paniscus</i>	- heard only at BB
2. Red Howler Monkey (airstrip)	- <i>Alouatta Seniculus</i>	- heard often, seen well at RF
3. White-face Saki	- <i>Pithecia Pithecia</i>	- BB
4. Brown Capuchin Monkey	- <i>Cebus Apella</i>	- BB
5. Squirrel Monkey Coast	- <i>Saimiri Sciureus</i>	- fairly common RF, BB &
6. Red-handed Tamarin	- <i>Saguinus Midas</i>	- BB
7. Neotropical Pygmy Squirrel	- <i>Sciurillus Pusillus</i>	- BB
8. Guinean Squirrel	- <i>Sciurus Aestuans</i>	- BB
9. Land Tortoise Voltzberg		- RF during walk back from
10. Orange-rumped Agouti	- <i>Dasyprocta Aguti</i>	- RF airstrip