

Explanations to the species list

A = Barr Lake, Latham Reservoir and the area around, Longmont (Union Reservoir(Calkins Lake) and Little Gaynor Lake).

B = short for Barr Lake. **L** = short for Latham. **Lo** = short for Longmont.

B = Rocky Mountain National Park including Winter Park = **WP**.

C = Garden of the Gods (Colorado Springs) and Mesa Verde.

GG = short for Garden of the Gods. **MV** = short for Mesa Verde.

If there is neither a **GG** nor a **MV** behind the numbers, it means that the bird was seen at both places.

D = Kansas and Missouri. Rest areas in Kansas on Interstate 70 only. Forest Park in St. Louis plus Horshoe Lake State Park on the eastern side of Mississippi, which actually is in the state of Illinois. **K** = short for Kansas. **M** = short for Missouri.

If there is neither a **K** nor an **M** behind the number, it means that the bird was seen in both states.

E = Iowa and South Dakota. Along Interstate 29 in Iowa. Campground at De Soto N.W.R. Along Interstate 29 and 90 in S. Dakota. Badland National Park and Black Hills (Custer State Park). **I** = short for Iowa. **D** = short for S. Dakota. **B** = short for Badlands.

C = short for Custer State Park. If neither an **I** nor a **D** is behind the number, it means that the bird was seen in both states.

F = Wyoming, mainly Yellowstone National Park and Grand Teton National Park (Jackson Hole). Short stop at Story and lake outside Cody.

Y = short for Yellowstone. **T** = short for Grand Teton. **S** = short for Story. **C** = Cody.

If no letter is seen behind the numbers, it means that it is seen somewhere in Wyoming.

G = Utah (mainly Zion National Park in southwestern Utah) and Nevada (Mesquite).

Z = short for Zion. **N** = short for Nevada.

H = Grand Canyon from the northern rim and also along the road in Arizona.

GC = short for Grand Canyon.

I = Other places in Colorado including along the road. Mt. Evans, Evergreen, Aspen.

ME = short for Mt. Evans. **E** = short for Evergreen. **A** = short for Aspen. **R** = Rifle. If there is no letter behind it means the bird is seen along the road no specific place.

***** = Lifer

X = Birds not counted. Normally common in the area, often more than 10.

> = More than. **>10** = more than 10 birds.

? = I am not sure about this bird.

| | A | B | C | D | E | F | G | H | I |
|---------------------------|---------|----|------|------|-----|-------|----|---|---|
| Pied-billed Grebe | 3 B,Lo | | | X M | | | | | |
| Western Grebe* | 80 | | | | | XY,T | | | |
| Clark`s Grebe* | 20 L,Lo | | | | | | | | |
| American White Pelican | 15 | | | | | 25Y,T | | | |
| Double-crested Cormorant | >10 | 2 | | 6 M | X | 1 | | | |
| Neotropic Cormorant* | >2 L | | | | | | | | |
| Great Blue Heron | X | 1 | 2 GG | X | X | 4 Y | | | X |
| Great Egret | | | | X M | | | | | |
| Snowy Egret | 3 L | | | X M | | | | | |
| Little Blue Heron | | | | 6 M | | | | | |
| Green Heron | | | | 12 M | | | | | |
| Black-crowned Night-Heron | 1 G | | | >12M | | | | | |
| White-faced Ibis* | | | | | | | 33 | | 1 |
| Trumpeter Swan* | | | | | | 7Y,T | | | |
| Canada Goose | X | X | 15GG | >60M | X | XY,T | | | X |
| Wood Duck | | | | >10M | | 5 | | | |
| Mallard | X | X | | X M | X | XY,T | X | X | X |
| Gadwall | X L | | | | | XY,T | | | 2 |
| Northern Pintail | | | | | | 2 C | | | |
| American Wigeon | X L | | | | | XY,T | | | |
| Northern Shoveler | 2 Lo | | | | | X Y | | | |
| Cinnamon Teal* | X L | | | | | | | | |
| Blue-winged Teal | 2 B | | | | | XY,T | | | |
| Green-winged Teal | X L | | | | | XY,T | | | |
| Redhead* | X L | | | | | 4 T | | | |
| Ring-necked Duck | | | | | | XY,T | | | |
| Lesser Scaup | | | | | | XY,T | | | |
| Harlequin Duck* | | | | | | 1 Y | | | |
| Barrow`s Goldeneye* | | | | | | XY,T | | | |
| Bufflehead* | | | | | | 8 Y | | | |
| Common Merganser | | | | | | >100 | | | |
| Ruddy Duck | 4 Lo | | | | | 6 T | | | |
| Turkey Vulture | | X | X | X | X | X Y | X | X | X |
| Northern Harrier | 2 L | | | | | | | | |
| Sharp-shinned Hawk | | 1? | 1 MV | | | | | | |
| Swainson`s Hawk* | 4 B, Lo | | | 3 K | X D | | | | X |
| Red-tailed Hawk | X | 4 | | X | X D | X | 2 | 2 | X |
| Ferruginous Hawk* | | | | | 2 D | | | | |
| Golden Eagle | | | | | | 1 Y | | 1 | |
| Bald Eagle | | | | | | 2 Y | | | |
| | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I |
|------------------------------|--------|---|-------|-----|-------|-------|-----|-----|-----|
| Osprey | | 1 | | | | 4 Y,T | | | |
| American Kestrel | 5 B,Lo | | | 3 M | X | 3 | | | X |
| Prairie Falcon* | | | 2 GG | | | | | | |
| Gambel`s Quail* | | | | | | | 4 N | | |
| Ring-necked Pheasant | | | | | 1 D | | | | |
| Blue Grouse* | | 1 | | | | | | | |
| Wild Turkey* | | | 1 MV | | 3 D | | | | |
| Common Moorhen | | | | X M | | | | | |
| American Coot | >30 | | | X M | X D | X T | | | |
| Virginia Rail* | | | | | | | | | 1 R |
| Sora* | | | | | | 2 C | | | |
| Sandhill Crane | | | | | | 8Y,T | | | |
| Killdeer | X | | | X | X | XY,T | | | X |
| American Avocet | 1 L | | | | | 1 Y | | | |
| Black-necked Stilt* | 4 L | | | | | | | | |
| Mountain Plover* | | | | | | 1 C | | | |
| Greater/Lesser Yellowlegs | 1 L | | | | | | | | |
| Spotted Sandpiper* | 3 L,Lo | | | | | 3 Y | | | |
| Long-billed Curlew* | | | | | | 1 Y | | | |
| Common Snipe | 2 L | | | | | >2 T | | | |
| Wilson`s Phalarope* | 6 L | | | | | 60 C | | | |
| Franklin`s Gull* | X L | | | | | | | | |
| Gull sp. Ring-billed Gull | | | | 4 M | X D | 2 S | | | X |
| California Gull* | X L,Lo | 1 | 2 GG | | | XY,T | | | X |
| Mourning Dove | X | X | X | X | X | X | X | X | X |
| Rock Dove | X Lo | 1 | 8 GG | X M | X | XY,T | | | X |
| Yellow-billed Cuckoo* | | | | 2 | | | | | |
| Greater Roadrunner* | | | | | | | 2 N | | |
| Owls sp. | | | | | 2 ? I | | | | |
| Common Nighthawk* | | | | | 1 ? I | 1 | | | |
| Chimney Swift* | | | | >80 | X D | | | | |
| Black Swift* | | 1 | | | | | | | 1 A |
| White-throated Swift* | | | >50GG | | X D | X | | XGC | X |
| Black-chinned Hummingbird* | | | XMV | | | | X Z | | |
| Ruby-throated Hummingbird | | | | 2 M | | | | | |
| Calliope Hummingbird* | | | | | | 1 T | | | |

| | A | B | C | D | E | F | G | H | I |
|---------------------------|--------|-----|------|------|-----|-------|-----|------|-----|
| Broad-tailed Hummingbird* | | X | XMV | | | 2Y,T | X Z | | >10 |
| Rufous Hummingbird* | | 4 | | | | | | | |
| Belted Kingfisher | | | 1 GG | 3 M | | | 1 Z | | |
| Red-headed Woodpecker(*) | | | | 1 M | 8 I | | | | |
| Gila Woodpecker* | | | | | | | | 1GC | |
| Red-bellied Woodpecker | | | | | 2 I | | | | |
| Williamson`s Sapsucker* | | | | | | | | 3GC | |
| Red-naped Sapsucker* | | 1 | | | | 5Y,T | | | |
| Downy Woodpecker | 3 B,Lo | | | | | 2 T | | | |
| Hairy Woodpecker* | | 1 | 2 MV | 1 M | | 2 T | 1 Z | 1GC | |
| Northern Flicker | X | 2 | 4 GG | X | X | XY,T | X | XGC | X |
| Western Wood-Pewee* | 4 B | 1 | | | | 3Y,T | 1 | 1GC | X |
| Eastern Wood-Pewee* | | | | 1 M | | | | | |
| Cordilleran Flycatcher* | | 1WP | | | | | | | |
| Acadian Flycatcher* | | | | 1? M | 1 I | | | | |
| Willow Flycatcher* | | | | | | 1 T | | | |
| Hammond`s Flycatcher* | | 1 | | | | 1? T | | | |
| Dusky Flycatcher* | | 2? | 1 GG | | | 2 S,T | | | |
| Gray Flycatcher* | | | | | | | | 1?GC | |
| Black Phoebe* | | | | | | | 7 Z | | |
| Ash-throated Flycatcher* | | | | | | | 6 Z | | |
| Eastern Kingbird* | 7 B,Lo | | | X M | X | | | | |
| Western Kingbird | X | | | | X D | 6 | 2 Z | | X |
| Loggerhead Shrike | | | 2 GG | | | | | | |
| Gray Vireo* | | | | | | | 1 Z | | |
| Warbling Vireo* | | 1 | 1MV | 3 | X | 1 T | | 1GC | 3 |
| Plumbeous Vireo* | | | 5 MV | | | | 2 Z | | |
| Steller`s Jay* | | >12 | | | | | | 5GC | |
| Blue Jay | | | | 5 M | 3 I | | | | |
| Western Scrub-Jay* | | | 5 | | | | | | |
| Gray Jay* | | 4 | | | | 4Y,T | | | |
| Pinyon Jay* | | | 3 MV | | | | | | |
| Clark`s Nutcracker* | | >20 | | | | | | | 4 E |
| American Magpie* | X | >10 | X GG | | X D | X | | | X |
| Common Raven | | X | XMV | | | X | X Z | XGC | X |

| | A | B | C | D | E | F | G | H | I |
|-------------------------------|--------|-----|------|-----|------|------|-----|-----|------|
| American Crow | 3 G,Lo | X | | X | X D | X | | XGC | X |
| Horned Lark | 7 L | | | | | | | | |
| Purple Martin* | | | | X | | | | | |
| Northern Rough-winged Swallow | X B | | | X | | X | | | |
| Bank Swallow | | | | | | X | | | |
| Violet Green Swallow* | | X | X | | | X | X | XGC | X |
| Tree Swallow | X | X | X GG | X | X | X | X | | X |
| Cliff Swallow* | X | X | | X | X | X | | | X |
| Barn Swallow | X | X | | X | X | X | | | X |
| Juniper Titmouse* | | | 6 MV | | | | | | |
| Tufted Titmouse | | | | 1 M | | | | | |
| Black-capped Chickadee* | | X | 3 GG | | X | 3 S | 1 Z | | 2 E |
| Carolina Chickadee* | | | | 3 M | | | | | |
| Mountain Chickadee* | | X | 6 MV | | | 2 T | X | 3GC | |
| Bushtit* | | | 2 GG | | | | | | |
| Red-breasted Nuthatch* | | | | | | 1 T | | | |
| White-breasted Nuthatch* | | 1 | | | | | | 3GC | |
| Pygmy Nuthatch* | | 3 | | | | | | 4GC | 2 |
| Brown Creeper* | | 2? | | | | | | | |
| House Wren | 3 B | 1 | 6 | 2 M | X | | 6 Z | | X |
| Carolina Wren Rock Wren* | | | 5 MV | 1 M | 1 B | | | | |
| American Dipper* | | | | | | 2 Y | | | |
| Ruby-crowned Kinglet | | 2WP | | | | 4 Y | | 2GC | |
| Blue-gray Gnatcatcher | | | 3 | | | | 3 Z | | |
| Townsend`s Solitaire* | | | | | | | | 1 | |
| Mountain Bluebird* | | 5 | 1 MV | | >10B | 4Y,T | X | | 3 ME |
| Western Bluebird* | | 2 | 4 MV | | | | 3 Z | | |
| Eastern Bluebird* | | | | 1 M | 1 I | | | | |
| American Robin | X | X | X | X | X | X | X | X | X |
| Veery* | | | | | | 1? | | | |
| Swainson`s Thrush* | | 1? | | | | | 2 | | |
| Hermit Thrush* | | 1WP | 1 MV | | | 2 T | 1 Z | 4GC | |
| Gray Catbird | | | | 4 M | 2 I | | | | 1 E |
| Northern Mockingbird | | | | X M | | | | | |
| | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I |
|------------------------------|--------|-----|------|------|-----|------|-----|-----|------|
| Brown Thrasher | | | | 1 M | 2 I | | | | |
| European Starling | X | X | X GG | X | X | XY,T | X | | X |
| American Pipit | | 2 | | | | | | | 8 ME |
| Cedar Waxwing | | | | | X | 4 | | | |
| Orange-crowned Warbler* | | | | | | 1 Y | 1 Z | | 1 |
| Virginia`s Warbler* | | | | | | | | 1GC | 1 |
| Yellow Warbler | 4 B,Lo | | | | X | 4Y,T | 3 Z | | XE,A |
| Yellow-rumped Warbler | | 5 | XMV | | X D | XY,T | | XGC | |
| Black-throated Gray Warbler* | | | 6 MV | | | | | | |
| American Redstart(*) | | | | | 1 I | | | | |
| Painted Redstart* | | | | | | | 1 Z | | |
| Louisiana Waterthrush* | | | | 1 M | | | | | |
| MacGillivray`s Warbler* | | | | | | | 2 | | 1 A |
| Common Yellowthroat | 2 B | | | | 1 D | 1 T | | | |
| Wilson`s Warbler* | | 4WP | | | | | | | 3 |
| Summer Tanager* | | | | | | | 3 Z | | |
| Western Tanager* | | | 1 GG | | | 1 Y | 2 Z | 3GC | 1 E |
| Scarlet Tanager* | | | | 1? K | | | | | |
| Northern Cardinal | | | | 7 M | 1 I | | | | |
| Black-headed Grosbeak* | | | 7 | | 1 D | | 4 Z | 2GC | |
| Blue Grosbeak* | 3 B,Lo | | | 3 M | 1 I | | | | |
| Lazuli Bunting* | | | 1 GG | | | | | | 1 E |
| Indigo Bunting* | | | | 1 M | | | | | 1 E |
| Dickcissel | | | | | 7 I | | | | |
| Spotted Towhee* | | | 12 | | X D | | | 2GC | X |
| Green-tailed Towhee* | | 2 | 1 MV | | | | | | |
| Brewer`s Sparrow* | | | | | | 2 T | | | |
| Chipping Sparrow | | | 3 MV | 2 M | X D | XY,T | | | |
| Grasshopper Sparrow | 2 L | | | | 3 D | | | | |
| Savannah Sparrow | | | | | X | X | | | |
| Vesper Sparrow* | | 3 | | | | X | 2 Z | | |
| Lark Bunting* | | | | | 1 B | >20 | | | |
| White-crowned Sparrow* | | 5 | | | | XY,T | | | X |
| Fox Sparrow* | | | | | | 3 T | | | |
| Song Sparrow | 5 B,Lo | | | 1 M | X? | X T | 2 Z | | 3 A |
| Lincoln`s Sparrow* | | | | | | 2 T | | | |

| | A | B | C | D | E | F | G | H | I |
|--------------------------|---------|----|------|-----|------|------|------|-----|------|
| Dark-eyed Junco* | | X | | | | XY,T | | 3GC | X |
| Western Meadowlark* | X | | | X K | X | X | | | X |
| Eastern Meadowlark | | | | X M | X I | | | | |
| Bobolink* | | | | | 1? D | | | | |
| Brown-headed Cowbird | X | X | | X | X | XY,T | X | XGC | X |
| Yellow-headed Blackbird* | 70 L,Lo | | | | | >30T | | | X |
| Red-winged Blackbird | X | X | X | X | X | XY,T | X | | X |
| Brewer`s Blackbird* | X | X | | | | XY,T | | XGC | X |
| Common Grackle | X | X | X | X | X | X T | | | X |
| Great-tailed Grackle* | 1 Lo | | | | | | >10N | | X |
| Bullock`s Oriole* | 4 B | | | | | | 1 Z | | |
| Baltimore Oriole* | | | | 3 K | 3 I | | | | |
| Orchard Oriole* | 3 B | | | X | X I | | | | |
| Pine Grosbeak | | 1 | | | | | | | |
| Brown-capped Rosy-Finch* | | 1 | | | | | | | 1 ME |
| Cassin`s Finch* | | X | | | | 3 Y | | | X |
| House Finch* | | X | 3 GG | X | X | | 3 Z | 1GC | X |
| Red Crossbill | | 1 | | | >20D | | | | |
| Pine Siskin* | | X | XMV | | X | XY,T | | XGC | X |
| Lesser Goldfinch* | | | 6 | | | | 3 Z | | 4 E |
| American Goldfinch | 2 B | | | 3 M | 5 | 2 Y | | | |
| House Sparrow | X | X | XGG | X | X | X | X | X | X |
| | 66 | 64 | 51 | 66 | 70 | 103 | 47 | 35 | 63 |